

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.10.2025

Version number 107.05 (replaces version 107.04)

Revision: 20.10.2025

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking****1.1 Product identifier****Trade name** Thermat Intensivreiniger 836**Other trade names:****Article number:** 1000536925000**UFI:** V453-P0Q0-000V-WENT**1.2 Relevant identified uses of the substance or mixture and uses advised against****Restrictions on use:**

Restrictions on use according to REGULATION (EC) No 1907/2006 ANNEX XVII apply to this product (see section 15).

Application of the substance / the mixture Cleaning agent / Cleaner**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**STOCKMEIER Chemie GmbH & Co.KG, Am Stadtholz 37, DE - 33609 Bielefeld
Tel.: +49 521 / 30 37-0, ehs-bielefeld@stockmeier.deSTOCKMEIER Fluids GmbH & Co. KG, Sanssouci 12, DE – 58802 Balve
Tel.: +49 2375 917 310, fluids@stockmeier.comBASSERMANN Minerals GmbH & Co. KG, Rudolf-Diesel-Straße 42, DE – 68169 Mannheim
Tel.: +49 621 15 01 0, verkauf@bassermann.deSTOCKMEIER CHEMIA Sp. z o. o., ul. Obornicka 277, PL - 60-691 Poznań
Tel.: +48 61 666 10 66, zamowienia@stockmeier.plSTOCKMEIER QUIMICA, S.L.U., Avda. del Baix Llobregat, 3- 5, ES – 08970 Sant Joan Despí (Barcelona)
Tel.: +34 93 506 91 83, tecnico-calidad@stockmeier.esSTOCKMEIER NETHERLANDS B.V., Ridderpoort 5, NL - 2984 BG Ridderkerk
Tel.: +31 180 41 5988, info@stockmeier.nlWigaChem GmbH - Brown-Boveri-Straße 6/1/22 - AT- 2351 Wiener Neudorf
Tel. 00432236/623-40, office@wigachem.at, www.wigachem.atKEMTAN AG, Seewenweg 6, CH – 4153 Reinach
Tel.: +41 61 711 20 20, info@kemtan.chSTOCKMEIER CHEMICALS BELUX SA/NV, Rue de la Station 17, BE – 1300 Limal
Tel.: +32 10 421-320, info@stockmeierchemicalsbelux.comHDS – Chemie Handels GES.M.B.H., Bauernmarkt 24, AT - 1010 Wien
Tel.: +43 15 32 0 999, office@hds-chemie.at

www.stockmeier.com

Informing department:

Product safety department. Tel.: 0049 / 521 / 3037-381

E-mail: ehs-bielefeld@stockmeier.de

1.4 Emergency telephone number:

This is an English-language document designed for the European region. For the emergency number and other country-specific data, please refer to the specific national versions of this safety data sheet.

Counselling Centre for Poisoning, Mainz

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.10.2025

Version number 107.05 (replaces version 107.04)

Revision: 20.10.2025

Trade name **Thermat Intensivreiniger 836**

(Contd. of page 1)

Tel. (+49) 61 31 / 19 240.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Additional information:

According to the current state of knowledge, no synthetic polymer microparticles > 0.01% are contained.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties Not applicable.

* SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of the substances listed below with non-hazardous additions (solution in water).

Dangerous components:

CAS: 69011-36-5 Polymer	Isotridecanol, ethoxylated Eye Dam. 1, H318; Acute Tox. 4, H302 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10,01 % Eye Irrit. 2; H319: 1,01 % ≤ C < 10,01 %	2,5-10%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	diethylene glycol monobutyl ether Eye Irrit. 2, H319 substance with a Community workplace exposure limit	≥2,5-<10%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37	sodium p-cumenesulphonate Eye Irrit. 2, H319	≤2,5%

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.10.2025

Version number 107.05 (replaces version 107.04)

Revision: 20.10.2025

Trade name Thermat Intensivreiniger 836

(Contd. of page 2)

SVHC

This preparation does not contain any substances of very high concern (SVHC) in a concentration of ≥ 0.1 % according to Regulation (EC) 1907/2006, Article 57.

Additional information For the wording of the listed hazard phrases refer to section 16.

Composition/Ingredients

Constituents according to EC-Regulation 648/2004:

< 5 % non-ionic surfactants,

Fragrances

Other ingredients: solubilisers, water-miscible solvents, colourants and auxiliaries.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General advice: If unconscious, position and transport in stable lateral position.

After inhalation Supply fresh air; consult doctor in case of symptoms.

After skin contact

Remove contaminated clothing immediately. Wash affected areas with plenty of water und soap. If irritation continues, contact a doctor.

After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

Can be released in case of fire:

carbon monoxide (CO)

Nitrogen oxides (NO_x)

5.3 Advice for firefighters**Protective equipment:**

See section 8.

Wear self-contained breathing apparatus.

Additional information Cool endangered containers in the vicinity with a water spray jet.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Put on protective equipment and keep unprotected persons away.

Avoid eye and skin contact.

6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

In case of release of larger quantities, inform competent authorities.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.10.2025

Version number 107.05 (replaces version 107.04)

Revision: 20.10.2025

Trade name **Thermat Intensivreiniger 836**

(Contd. of page 3)

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections See Section 8 for information on personal protection equipment.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent eye and skin contact.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage** Store in cool, dry conditions in well sealed containers.**Requirements to be met by storerooms and containers:**

Observe laws and regulations on the storage and use of substances hazardous to water.

Store in the delivery container or in PE containers.

Information about storage in one common storage facility: Store away from acids.**Further information about storage conditions:** Protect from frost.**7.3 Specific end use(s)** No further relevant information available.

* SECTION 8: Exposure controls/personal protection

8.1 Control parameters**Components with critical values that require monitoring at the workplace:****112-34-5 diethylene glycol monobutyl ether**

AGW (Germany)	Long-term value: 67 mg/m ³ , 10 ppm 1,5(l);EU, DFG, Y, 11
EG (Germany)	Short-term value: 101,2 mg/m ³ , 15 ppm Long-term value: 67,5 mg/m ³ , 10 ppm
MAK (Germany)	Long-term value: 67 mg/m ³ , 10 ppm Dampf und Aerosol
IOELV (EU)	Short-term value: 101,2 mg/m ³ , 15 ppm Long-term value: 67,5 mg/m ³ , 10 ppm

DNELs**112-34-5 diethylene glycol monobutyl ether**

Oral	DNEL (population)	6,25 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	101,2 mg/m ³ (Acute, local effects)
		67,5 mg/m ³ (Long-term, local effects)

15763-76-5 sodium p-cumenesulphonate

Oral	DNEL (population)	3,8 mg/kg bw/day (Long-term, systemic effects)
Dermal	DNEL (worker)	7,6 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	3,8 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	53,6 mg/m ³ (Long-term, systemic effects)
	DNEL (population)	13,2 mg/m ³ (Long-term, systemic effects)

PNECs**112-34-5 diethylene glycol monobutyl ether**

Oral	PNEC oral	56 mg/kg (Nahrung) (Secondary poisoning)
------	-----------	--

(Contd. on page 5)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.10.2025

Version number 107.05 (replaces version 107.04)

Revision: 20.10.2025

Trade name **Thermat Intensivreiniger 836**

(Contd. of page 4)

PNEC water	1,1 mg/l (freshwater) 0,11 mg/l (marine water)
PNEC	11 mg/l (intermittent releases)
PNEC sediment	4,4 mg/kg dw (freshwater) 0,44 mg/kg dw (marine water)
PNEC soil	0,32 mg/kg dw (soil)
15763-76-5 sodium p-cumenesulphonate	
PNEC water	0,23 mg/l (freshwater) 2,3 mg/l (intermittent releases)
PNEC STP	100 mg/l (sewage plant)

Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

Breathing equipment: Not necessary if room is well-ventilated.

Hand protection

Alkaline resistant gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Tightly sealed safety glasses.

Body protection:

Standard protective work clothing. Chemical resistant safety shoes or boots. If skin contact may occur, wear impermeable protective clothing for this solution.

* SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Brown

Smell:

Type specific

Odour threshold:

Not determined.

Melting point/freezing point:

Not determined

Boiling point or initial boiling point and boiling range

>100 °C

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.10.2025

Version number 107.05 (replaces version 107.04)

Revision: 20.10.2025

Trade name Thermat Intensivreiniger 836

(Contd. of page 5)

Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Product is non-flammable nor potentially explosive
Decomposition temperature:	Not determined.
pH at 20 °C	11,4
pH-value:	
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity or of similar purity)
Density and/or relative density	
Density at 20 °C	1,085 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not potentially explosive
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

EUE

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.10.2025

Version number 107.05 (replaces version 107.04)

Revision: 20.10.2025

Trade name Thermat Intensivreiniger 836

(Contd. of page 6)

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Strong acids

10.6 Hazardous decomposition products: No dangerous decomposition products known

* SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

69011-36-5 Isotridecanol, ethoxylated

Oral	LD50	>300-2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

112-34-5 diethylene glycol monobutyl ether

Oral	LD50	2410-5530 mg/kg (mouse) >2000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2000 mg/kg (rabbit) (OECD 402) 2764 mg/kg (rat) (OECD 402)
Inhalative	LC 50 / 2 h	>29 mg/l (rat)

15763-76-5 sodium p-cumenesulphonate

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

90194-45-9 alkylbenzene sulfonic acid, sodium salt

Oral	LD50	1086-1980 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

The product removes the natural lipid protection of the skin even in diluted solution. Prolonged or repeated contact may cause skin irritation and inflammation.

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.10.2025

Version number 107.05 (replaces version 107.04)

Revision: 20.10.2025

Trade name **Thermat Intensivreiniger 836**

(Contd. of page 7)

11.2 Information on other hazards**Endocrine disrupting properties**

None of the ingredients is listed.

* **SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:****69011-36-5 Isotridecanol, ethoxylated**

LC 50 / 96 h	1-10 mg/l (Cyprinus carpio)
EC 50 / 48 h	1-10 mg/l (Daphnia magna)
EC 50 / 72 h	1-10 mg/l (Scenedesmus subspicatus)

112-34-5 diethylene glycol monobutyl ether

LC 50 / 96 h (static)	1300 mg/l (Lepomis macrochirus) (OECD 203)
EC 50 / 48 h (static)	>100 mg/l (Daphnia magna) (OECD 202)
EC 50 / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
EC 50 / 24 h	2850 mg/l (Daphnia magna)
EC 50 / 72 h (static)	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC / 48 h	>100 mg/l (Daphnia magna) (OECD 202)

15763-76-5 sodium p-cumenesulphonate

LC 50 / 96 h	>100 mg/l (fish)
EC 50 / 48 h	>100 mg/l (Daphnia magna)
EC 50 / 72 h	>100 mg/l (Desmodesmus subspicatus)
EC 50 / 2 h	>1000 mg/l (activated sludge (method OECD 209))

90194-45-9 alkylbenzene sulfonic acid, sodium salt

LC 50 / 96 h	1-10 mg/l (Lepomis macrochirus)
EC 50 / 48 h	1-10 mg/l (Daphnia magna)
EC 50 / 72 h	1-10 mg/l (Algae)

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

69011-36-5 Isotridecanol, ethoxylated

Biodegradability	>70 % (OECD 301A)
	>70 % (OECD 301 B)

112-34-5 diethylene glycol monobutyl ether

Biodegradability	~85 % (28 d, OECD 301 C)
	100 % (OECD 302 B)

15763-76-5 sodium p-cumenesulphonate

Biodegradability	>60 % /28d (OECD 301 B)
------------------	-------------------------

90194-45-9 alkylbenzene sulfonic acid, sodium salt

Biodegradability	>70 % (OECD 301A)
------------------	-------------------

(Contd. on page 9)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.10.2025

Version number 107.05 (replaces version 107.04)

Revision: 20.10.2025

Trade name **Thermat Intensivreiniger 836**

(Contd. of page 8)

>90 % (OECD 303 A)

>60 % (OECD 301 B)

12.3 Bioaccumulative potential No bioaccumulation**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects**Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):****112-34-5 diethylene glycol monobutyl ether**

EC 10 / 0,5 h >1995 mg/l (activated sludge (DEV - L2)) (OECD 209 (Activated Sludge, Resp. Inhibition Test))

Other information:

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Additional ecological information:**General notes:**

The product contains no organic halogen compounds (AOX).

The product contains no organic complexing agents, which are not biodegradable (DOC elimination > 80 % within 28 d)

Water hazard class 1 (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The note below refers to the product left as it is and not to further processed products. When mixed with other products, other disposal routes may be required; if in doubt, consult the supplier of the product or the local authority.

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

The above recommendations apply to the unused product (e.g. residual quantities).

When used as intended, the product enters the waste water.

Waste disposal key number:

Since 1 January 1999, the waste code numbers have not only been product-related but essentially application-related. The waste code number valid for the application can be taken from the European Waste Catalogue.

Uncleaned packagings: Disposal in accordance with official regulations.**Recommendation:****Development:** After optimal emptying, immediately return to the supplier tightly closed and without cleaning. Make sure that no foreign matter gets into the packaging!

Other containers: Empty completely and clean for reconditioning or reprocessing.

SECTION 14: Transport information

14.1 UN number or ID number**ADR/RID, IMDG, IATA**

Void

(Contd. on page 10)

— EUE —

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.10.2025

Version number 107.05 (replaces version 107.04)

Revision: 20.10.2025

Trade name **Thermat Intensivreiniger 836**

(Contd. of page 9)

14.2 UN proper shipping name ADR/RID, IMDG, IATA	Void
14.3 Transport hazard class(es) ADR/RID, IMDG, IATA Class	Void
14.4 Packing group ADR/RID, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	Not applicable. No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 11)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.10.2025

Version number 107.05 (replaces version 107.04)

Revision: 20.10.2025

Trade name **Thermat Intensivreiniger 836**

(Contd. of page 10)

REGULATION (EU) 2019/1148**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations**Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

VOC:

< 3% volatile organic compounds (Swiss Ordinance on the Incentive Tax on Volatile Organic Compounds).

Other regulations, limitations and prohibitive regulations**Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2023/707.

UFI market placements:

Germany, Bulgaria, Denmark, DKE, ESE, European Union, Finland, SFS, France, Greece, Ireland, ISE, Croatia, Latvia, FL, Lithuania, LTE, Malta, Netherland, Norway, Germany, Poland, Portugal, Romania, Sweden, Slovakia, Slovenia, Spain, Czechia, Cyprus

Relevant phrases

Complete wording of hazard statements and risk phrases (H-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Department issuing data specification sheet: See section 1.3: Responding area**Date of previous version:** 08.10.2024**Version number of previous version:** 107.04**Abbreviations and acronyms:**

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

(Contd. on page 12)

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.10.2025

Version number 107.05 (replaces version 107.04)

Revision: 20.10.2025

Trade name Thermat Intensivreiniger 836

(Contd. of page 11)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

*** Data compared to the previous version altered.**

EUE