

7216 // UTILITY STEP MID

Boots
PPE risk category II



Durable Action Leather
Highest slip resistance (SR)
Well padded bootleg for optimal fit and comfort

S3L

CI

FO

SR

DGUV RULE
112-191
TYPE 1



767

7216 // UTILITY STEP MID



| | |
|------------------------|-----------------------|
| Shoe upper: | Action Leather, black |
| Outsole: | PU / PU, black |
| Size(s): | 36-48 |
| Packaging unit: | 10 pair(s) |
| Certification: | EN ISO 20345 |

NITRAS UTILITY STEP MID, S3L CI FO safety boots, half-height, durable Action Leather, black (colour code: 1000), tough and non-marking PU / PU outsole, black, fibreglass toe cap, textile perforation resistant midsole, metal-free, ergonomic insoles, sporty design, highest slip resistance (SR), width 11, well padded bootleg for optimal fit and comfort, reflective elements, heel lining for easy donning and doffing and heel reinforcement made of robust microfibre, DGUV Rule 112-191-protected, Type 1, ESD-capable, PPE risk category II

EN ISO 20345

EN IEC 61340-4-3



Industries

-  Craft
-  Building / Construction
-  Landscape gardening
-  Waste management
-  Refrigeration range

Advantages

- + Durable Action Leather
- + Highest slip resistance (SR)
- + Well padded bootleg for optimal fit and comfort



Further images



Additional information

Miscellaneous

Weight (g) 767

Logistics data

| Size | GTIN (SPU) | GTIN (PU) | Length (m) | Width (m) | Height (m) | Weight (kg) | Quantity PU / pallet |
|------|---------------|---------------|------------|-----------|------------|-------------|----------------------|
| 36 | 4059904203389 | 4059904203396 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |
| 37 | 4059904203402 | 4059904203419 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |
| 38 | 4059904203426 | 4059904203433 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |
| 39 | 4059904203440 | 4059904203457 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |
| 40 | 4059904203464 | 4059904203471 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |
| 41 | 4059904203488 | 4059904203495 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |
| 42 | 4059904203501 | 4059904203518 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |
| 43 | 4059904203525 | 4059904203532 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |
| 44 | 4059904203549 | 4059904203556 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |
| 45 | 4059904203563 | 4059904203570 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |
| 46 | 4059904203587 | 4059904203594 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |
| 47 | 4059904203600 | 4059904203617 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |
| 48 | 4059904203624 | 4059904203631 | 0,6 m | 0,5 m | 0,35 m | 15 kg | 12 |

Customs tariff number: 64039113900

Country of origin: India