

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Trade name GlossTec® Uni Clean**Other trade names:****Article number:** 1005439023001**UFI:** S867-02EH-300V-F864

1.2 Relevant identified uses of the substance or mixture and uses advised against

Restrictions on use:

Restrictions on use according to REGULATION (EC) No 1907/2006 ANNEX XVII apply to this product (see section 15).

Application of the substance / the mixture Cleaning agent / Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:STOCKMEIER Chemie GmbH & Co.KG, Am Stadtholz 37, DE - 33609 Bielefeld
Tel.: +49 521 / 30 37-0, ehs-bielefeld@stockmeier.deSTOCKMEIER Fluids GmbH & Co. KG, Sanssouci 12, DE – 58802 Balve
Tel.: +49 2375 917 310, fluids@stockmeier.comBASSERMANN Minerals GmbH & Co. KG, Rudolf-Diesel-Straße 42, DE – 68169 Mannheim
Tel.: +49 621 15 01 0, verkauf@bassermann.deSTOCKMEIER CHEMIA Sp. z o. o., ul. Obornicka 277, PL - 60-691 Poznań
Tel.: +48 61 666 10 66, zamowienia@stockmeier.plSTOCKMEIER QUIMICA, S.L.U., Avda. del Baix Llobregat, 3- 5, ES – 08970 Sant Joan Despí (Barcelona)
Tel.: +34 93 506 91 83, tecnico-calidad@stockmeier.esSTOCKMEIER NETHERLANDS B.V., Ridderpoort 5, NL - 2984 BG Ridderkerk
Tel.: +31 180 41 5988, info@stockmeier.nlWigaChem GmbH - Brown-Boveri-Straße 6/1/22 - AT- 2351 Wiener Neudorf
Tel. 00432236/623-40, office@wigachem.at, www.wigachem.atKEMTAN AG, Seewenweg 6, CH – 4153 Reinach
Tel.: +41 61 711 20 20, info@kemtan.chSTOCKMEIER CHEMICALS BELUX SA/NV, Rue de la Station 17, BE – 1300 Limal
Tel.: +32 10 421-320, info@stockmeierchemicalsbelux.comHDS – Chemie Handels GES.M.B.H., Bauernmarkt 24, AT - 1010 Wien
Tel.: +43 15 32 0 999, office@hds-chemie.atwww.stockmeier.com**Informing department:**

Product safety department. Tel.: 0049 / 521 / 3037-381

E-mail: ehs-bielefeld@stockmeier.de

1.4 Emergency telephone number:

This is an English-language document designed for the European region. For the emergency number and other country-specific data, please refer to the specific national versions of this safety data sheet.

Counselling Centre for Poisoning, Mainz

(Contd. on page 2)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

Trade name GlossTec® Uni Clean

Tel. (+49) 61 31 / 19 240.

(Contd. of page 1)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1 H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

alkyl poly ethylene glycol ether

sodium hydroxide

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

According to the current state of knowledge, no synthetic polymer microparticles > 0.01% are contained.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties Not applicable.

* SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of the substances listed below with non-hazardous additions (solution in water).

(Contd. on page 3)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

Trade name GlossTec® Uni Clean

(Contd. of page 2)

Dangerous components:		
CAS: 9043-30-5 Polymer	Isotridecanol, ethoxylated Eye Dam. 1, H318; Acute Tox. 4, H302	≥3-≤10%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37	sodium p-cumenesulphonate Eye Irrit. 2, H319	≤2,5%
CAS: 127184-52-5 Polymer	Benzenesulfonic acid, 4-C1-13-sec-alkyl derivates, sodium salt Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	≥1-<2,5%
CAS: 112-34-5 EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	diethylene glycol monobutyl ether Eye Irrit. 2, H319 substance with a Community workplace exposure limit	≤1%
CAS: 5989-27-5 EINECS: 232-433-8 Reg.nr.: 01-2119529223-47	(R)-p-mentha-1,8-diene Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0,1-<0,25%

SVHC

This preparation does not contain any substances of very high concern (SVHC) in a concentration of ≥ 0.1 % according to Regulation (EC) 1907/2006, Article 57.

Additional information For the wording of the listed hazard phrases refer to section 16.

Composition/Ingredients

Constituents according to EC-Regulation 648/2004:

5 - 15 % non-ionic surfactants,

< 5 % anionic surfactants

Duftstoffe (D-Limonene, Linalool, Butylphenyl Methylpropional)

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation Supply fresh air; consult doctor in case of symptoms.

After skin contact

Remove contaminated clothing immediately. Wash affected areas with plenty of water und soap. If irritation continues, contact a doctor.

After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media**Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

Trade name GlossTec® Uni Clean

(Contd. of page 3)

5.3 Advice for firefighters**Protective equipment:** Adapt protective equipment to the surrounding fire.**Additional information**

Cool endangered containers in the vicinity with a water spray jet.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Put on protective equipment and keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

In case of release of larger quantities, inform competent authorities.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Prevent formation of aerosols.

Prevent eye and skin contact.

Information about protection against explosions and fires:

Observance of the general rules of preventive operational fire protection.

7.2 Conditions for safe storage, including any incompatibilities**Storage****Requirements to be met by storerooms and containers:**

Observe laws and regulations on the storage and use of substances hazardous to water.

Unsuitable materials: many metallics and metallic alloys

Store in the delivery container or in PE containers.

Information about storage in one common storage facility: Store away from foodstuffs.**Storage class** 8 B L (VCI - Konzept, 2007)**7.3 Specific end use(s)** No further relevant information available.*** SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Components with critical values that require monitoring at the workplace:**

Void

112-34-5 diethylene glycol monobutyl etherAGW (Germany) Long-term value: 67 mg/m³, 10 ppm
1,5(I);EU, DFG, Y, 11EG (Germany) Short-term value: 101,2 mg/m³, 15 ppm
Long-term value: 67,5 mg/m³, 10 ppm

(Contd. on page 5)

EUE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

Trade name GlossTec® Uni Clean

(Contd. of page 4)

MAK (Germany)	Long-term value: 67 mg/m ³ , 10 ppm Dampf und Aerosol
IOELV (EU)	Short-term value: 101,2 mg/m ³ , 15 ppm Long-term value: 67,5 mg/m ³ , 10 ppm

DNELs**15763-76-5 sodium p-cumenesulphonate**

Oral	DNEL (population)	3,8 mg/kg bw/day (Long-term, systemic effects)
Dermal	DNEL (worker)	7,6 mg/kg bw/day (Long-term, systemic effects)
	DNEL (population)	3,8 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	53,6 mg/m ³ (Long-term, systemic effects)
	DNEL (population)	13,2 mg/m ³ (Long-term, systemic effects)

112-34-5 diethylene glycol monobutyl ether

Oral	DNEL (population)	6,25 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worker)	101,2 mg/m ³ (Acute, local effects) 67,5 mg/m ³ (Long-term, local effects)

1310-73-2 sodium hydroxide

Inhalative	DNEL (worker)	1 mg/m ³ (Long-term, local effects) (most sensitive endpoint: Irritation)
	DNEL (population)	1 mg/m ³ (Long-term, local effects)

PNECs**15763-76-5 sodium p-cumenesulphonate**

PNEC water	0,23 mg/l (freshwater) 2,3 mg/l (intermittent releases)
PNEC STP	100 mg/l (sewage plant)

112-34-5 diethylene glycol monobutyl ether

Oral	PNEC oral	56 mg/kg (Nahrung) (Secondary poisoning)
	PNEC water	1,1 mg/l (freshwater) 0,11 mg/l (marine water)
	PNEC	11 mg/l (intermittent releases)
	PNEC sediment	4,4 mg/kg dw (freshwater) 0,44 mg/kg dw (marine water)
	PNEC soil	0,32 mg/kg dw (soil)

Additional information: The lists that were valid during the compilation were used as basis.**8.2 Exposure controls****Appropriate engineering controls** No further data; see section 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures**

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Breathing equipment: Use breathing protection only when aerosol or mist is formed.**Hand protection**

Protective gloves (EN 374).

Check the permeability prior to each renewed use of the glove.

(Contd. on page 6)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

Trade name GlossTec® Uni Clean

(Contd. of page 5)

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

Note information regarding permeation rate, penetration times and the degradation supplied by the manufacturer of gloves just as workplace-specific conditions.

Change protective gloves if you notice signs of wear.

Eye/face protection Tightly sealed safety glasses.

Body protection: Standard protective work clothing.

* SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information****Physical state**

Liquid

Colour:

fluorescent yellow

Smell:

Characteristic

Odour threshold:

Not determined

Melting point/freezing point:

Not determined

Boiling point or initial boiling point and boiling range

100 °C (7732-18-5 water, distilled, conductivity or of similar purity)

Flammability

Not applicable.

Lower and upper explosion limit**Lower:**

Not determined.

Upper:

Not determined.

Flash point:

Product is non-flammable nor potentially explosive

Decomposition temperature:

Not determined.

pH at 20 °C

>13 (Konz.)

pH-value:**Viscosity:****Kinematic viscosity**

Not determined.

dynamic:

Not determined.

Solubility**Water:**

Fully miscible

Partition coefficient n-octanol/water (log value)

Not determined

Vapour pressure at 20 °C:

23 hPa (7732-18-5 water, distilled, conductivity or of similar purity)

Density and/or relative density**Density at 20 °C**1,07 g/cm³**Relative density**

Not determined.

Vapour density

Not determined.

9.2 Other information**Appearance:****Form:**

Fluid

Important information on protection of health and environment, and on safety.**Self-inflammability:**

Product is not selfigniting.

Explosive properties:

Product is not potentially explosive

(Contd. on page 7)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

Trade name GlossTec® Uni Clean

(Contd. of page 6)

Evaporation rate	Not determined
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	May be corrosive to metals.
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Exothermic reactions with acids.

Corrosive action on metals

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Strong acids

10.6 Hazardous decomposition products: No dangerous decomposition products known

* SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

9043-30-5 Isotridecanol, ethoxylated

Oral	LD50	500-2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit) (Literaturwerte)

15763-76-5 sodium p-cumenesulphonate

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

(Contd. on page 8)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

Trade name GlossTec® Uni Clean

(Contd. of page 7)

112-34-5 diethylene glycol monobutyl ether

Oral	LD50	2410-5530 mg/kg (mouse) >2000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2000 mg/kg (rabbit) (OECD 402) 2764 mg/kg (rat) (OECD 402)
Inhalative	LC 50 / 2 h	>29 mg/l (rat)

Primary irritant effect:**Skin corrosion/irritation**

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**Additional toxicological information:** The classification as corrosive results from the extreme pH value.**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:****9043-30-5 Isotridecanol, ethoxylated**

LC 50 / 96 h	1-10 mg/l (Danio rerio)
EC 50 / 48 h	7,7 mg/l (Daphnia magna)
EC 50 / 72 h	>10 mg/l (Desmodesmus subspicatus)

15763-76-5 sodium p-cumenesulphonate

LC 50 / 96 h	>100 mg/l (fish)
EC 50 / 48 h	>100 mg/l (Daphnia magna)
EC 50 / 72 h	>100 mg/l (Desmodesmus subspicatus)
EC 50 / 2 h	>1000 mg/l (activated sludge (method OECD 209))

112-34-5 diethylene glycol monobutyl ether

LC 50 / 96 h (static)	1300 mg/l (Lepomis macrochirus) (OECD 203)
EC 50 / 48 h (static)	>100 mg/l (Daphnia magna) (OECD 202)
EC 50 / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
EC 50 / 24 h	2850 mg/l (Daphnia magna)
EC 50 / 72 h (static)	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)
NOEC / 48 h	>100 mg/l (Daphnia magna) (OECD 202)

(Contd. on page 9)

— EUE —

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

Trade name GlossTec® Uni Clean

(Contd. of page 8)

1310-73-2 sodium hydroxide

LC 50 / 96 h	196 mg/l (fish)
EC 50 / 48 h	40,4 mg/l (Crustacea)

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

9043-30-5 Isotridecanol, ethoxylated

Biodegradability >60 % (OECD 301 B) (Literaturwerte)

15763-76-5 sodium p-cumenesulphonate

Biodegradability >60 % /28d (OECD 301 B)

112-34-5 diethylene glycol monobutyl etherBiodegradability ~85 % (28 d, OECD 301 C)
100 % (OECD 302 B)**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects**Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):****112-34-5 diethylene glycol monobutyl ether**

EC 10 / 0,5 h >1995 mg/l (activated sludge (DEV - L2)) (OECD 209 (Activated Sludge, Resp. Inhibition Test))

Additional ecological information:**General notes:**

The product contains no organic halogen compounds (AOX).

The product contains no organic complexing agents, which are not biodegradable (DOC elimination > 80 % within 28 d)

Water hazard class 2 (Self-assessment): hazardous for water.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

The note below refers to the product left as it is and not to further processed products. When mixed with other products, other disposal routes may be required; if in doubt, consult the supplier of the product or the local authority.

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

When used as intended, the product enters the waste water.

Waste disposal key number:

Since 1 January 1999, the waste code numbers have not only been product-related but essentially application-related. The waste code number valid for the application can be taken from the European Waste Catalogue.

(Contd. on page 10)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

Trade name GlossTec® Uni Clean

(Contd. of page 9)

Uncleaned packagings:**Recommendation:**

Levelopment: After optimal emptying, immediately return to the supplier tightly closed and without cleaning. Make sure that no foreign matter gets into the packaging!

Other containers: Empty completely and clean for reconditioning or reprocessing.

* SECTION 14: Transport information

14.1 UN number or ID number ADR/RID, IMDG, IATA	UN1760
14.2 UN proper shipping name ADR/RID	1760 CORROSIVE LIQUID, N.O.S. (alanine, N,N-bis(carboxymethyl)-, trisodium salt, SODIUM HYDROXIDE)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (1-methylglycin-N,N-diacetic acid,, SODIUM HYDROXIDE)
14.3 Transport hazard class(es) ADR/RID	
Class	8 (C9) Corrosive substances.
Label	8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group ADR/RID, IMDG, IATA	III
14.6 Special precautions for user	Warning: Corrosive substances.
Kemler Number:	80
EMS Number:	F-A,S-B
Segregation groups	(SGG18) Alkalis
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR/RID	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Código E4 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 11)

EUE

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

Trade name GlossTec® Uni Clean

(Contd. of page 10)

UN "Model Regulation":

UN 1760 CORROSIVE LIQUID, N.O.S. (ALANINE, N,N-BIS(CARBOXYMETHYL)-, TRISODIUM SALT, SODIUM HYDROXIDE), 8, III

* SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

alkyl poly ethylene glycol ether
sodium hydroxide

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 12)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

Trade name GlossTec® Uni Clean

(Contd. of page 11)

National regulations**Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

Other regulations, limitations and prohibitive regulations**Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2023/707.

UFI market placements:

Germany, Bulgaria, Denmark, DKE, ESE, European Union, Finland, SFS, France, Greece, Ireland, ISE, Croatia, Latvia, FL, Lithuania, LTE, Malta, Netherland, Norway, Germany, Poland, Portugal, Romania, Sweden, Slovakia, Slovenia, Spain, Czechia, Cyprus, Italy

Relevant phrases

Complete wording of hazard statements and risk phrases (H-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Department issuing data specification sheet: See section 1.3: Responding area**Date of previous version:** 31.03.2025**Version number of previous version:** 104.05**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

LEV: Local Exhaust Ventilation

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 13)

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.10.2025

Version number 104.06 (replaces version 104.05)

Revision: 24.10.2025

Trade name GlossTec® Uni Clean

(Contd. of page 12)

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**

EUE
