according to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	Trade name	COREXX Steinschlag-Schutz Spray gau - 500 ml
	Unique formula identifier (UFI)	1NA9-JVTJ-RS35-CT9R
	Article number	40903916
1.2	Relevant identified uses of the subs	tance or mixture and uses advised against
	Relevant identified uses	Paint, coating and lacquer General use
1.3	Details of the supplier of the safety	data sheet
	ad-AUTOTEILE-CARGO Gmbh & Co. KG Am Victoria-Turm 2 68163 Mannheim Germany	
	Telephone: +49 (0)621 / 8 60 80 - 0 e-mail: info@carat-gruppe.de Website: www.corexx.eu	
1.4	Emergency telephone number	
	Emergency information service	+49 (0)621 / 8 60 80 - 0 (über die Zentrale vermittelt) This number is only available during the following office hours: Mon-Fri 08:00 - 17:00

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.3	aerosols	1	Aerosol 1	H222,H229
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

. .

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP) danger

Signal word

Pictograms

GHS02, GHS07



Hazard statements

H222 H229 H315 H319 H336 H412	Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
Precautionary statement	5
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P271	Use only outdoors or in a well-ventilated area.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

according to Regulation (EC) No. 1907/2006 (REACH)

40903916 - COREXX Steinschlag-Schutz Spray gau - 500 ml

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2) Revision: 2024-02-26

Hazardous ingredients for labelling ethyl acetate, Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics, Naphtha (petroleum), hydrotreated light

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\ge 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Identifier	Name of substance	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Lim- its
CAS No 106-97-8	butane	25 - < 50	Flam. Gas 1B / H221 Press. Gas C / H280		C GHS-HC	
EC No 203-448-7					U(b)	
Index No 601-004-00-0						
REACH Reg. No 01- 2119474691- 32-xxxx						
CAS No 141-78-6	ethyl acetate	10-<25	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336		GHS-HC IOELV	
EC No 205-500-4			3101 32 37 11330			
Index No 607-022-00-5						
REACH Reg. No 01- 2119475103- 46-xxxx						
CAS No 74-98-6	propane	10-<25	Flam. Gas 1A / H220 Press. Gas L / H280		GHS-HC U(c)	
EC No 200-827-9						
Index No 601-003-00-5						
REACH Reg. No 01- 2119486944- 21						
EC No 927-510-4 REACH Reg. 01- 2119475515- 33-xxxx	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	5-<10	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411			

according to Regulation (EC) No. 1907/2006 (REACH)

40903916 - COREXX Steinschlag-Schutz Spray gau - 500 ml

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2)

Identifier	Name of substance	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Lim- its
CAS No 64742-49-0 EC No 265-151-9 Index No 649-328-00-1	Naphtha (petro- leum), hydro- treated light	1-<5	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411		P(b)	
EC No 920-750-0 REACH Reg. No 01- 2119473851- 33-xxxx	Hydrocarbons, C7- C9, n-alkanes, isoalkanes, cyclics	1-<5	Flam. Liq. 2 / H225 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411			
CAS No 75-28-5 EC No 200-857-2 Index No 601-004-00-0 REACH Reg. No 01- 2119485395- 27	isobutane	1-<5	Flam. Gas 1A / H220 Press. Gas C / H280		C GHS-HC U(b)	
CAS No 64742-95-6 128601-23-0 EC No 918-668-5 Index No 649-356-00-4 REACH Reg. No 01- 2119455851- 35-xxxx 01- 2119487492- 29-xxxx	Hydrocarbons, C9, aromatics	1-<5	Flam, Liq. 3 / H226 STOT SE 3 / H335 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411			

Notes C:

Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers. Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ GHS-HC: IOELV: P(b): 2008/EC, Annex VI)

2008/EC, Annex VI) Substance with a community indicative occupational exposure limit value The classification as a carcinogen or mutagen is not required. The substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262- P301 + P310-P331 shall apply The allocation to the group 'compressed gas' is based on the physical state in which the gas is packaged The allocation to the group 'liquefied gas' is based on the physical state in which the gas is packaged

U(b): U(c):

Remarks

For full text of abbreviations: see SECTION 16.

according to Regulation (EC) No. 1907/2006 (REACH)

40903916 - COREXX Steinschlag-Schutz Spray gau - 500 ml

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

Indication of any immediate medical attention and special treatment needed

none

4.3

6.2

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Germany: en

according to Regulation (EC) No. 1907/2006 (REACH)

40903916 - COREXX Steinschlag-Schutz Spray gau - 500 ml

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Packaging compatibilities

Keep only in original container.

Storage class (LGK) TRGS 510

LGK 2 B (aerosol dispensers and lighters)

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1

Occupational exposure limit values (Workplace Exposure Limits)											
Coun- try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceiling- C [ppm]	Ceiling- C [mg/ m³]	Nota- tion	Source
DE	butane	106-97-8	AGW	1,000	2,400	4,000	9,600				TRGS 900
DE	ethyl acetate	141-78-6	MAK	200	750	400	1,500				DFG
DE	ethyl acetate	141-78-6	AGW	200	730	400	1,460			Y	TRGS 900
DE	propane	74-98-6	AGW	1,000	1,800	4,000	7,200				TRGS 900
DE	isobutane	75-28-5	AGW	1,000	2,400	4,000	9,600				TRGS 900
EU	ethyl acetate	141-78-6	IOEL V	200	734	400	1,468				2017/ 164/ EU

Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-STEL TWA

minute period (unless otherwise specified) time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the bio-Y logical limit value (BGW) are adhered to

Relevant DNELs of components							
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
ethyl acetate	141-78-6	DNEL	1,468 mg/ m³	human, inhalat- ory	worker (industry)	acute - local ef- fects	
ethyl acetate	141-78-6	DNEL	1,468 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects	
ethyl acetate	141-78-6	DNEL	734 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects	

according to Regulation (EC) No. 1907/2006 (REACH)

40903916 - COREXX Steinschlag-Schutz Spray gau - 500 ml

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2)

Revision: 2024-02-26

Relevant DNELs of c	Relevant DNELs of components					
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
ethyl acetate	141-78-6	DNEL	63 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
ethyl acetate	141-78-6	DNEL	734 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		DNEL	300 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		DNEL	2,085 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Naphtha (petro- leum), hydro- treated light	64742-49-0	DNEL	5,306 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Naphtha (petro- leum), hydro- treated light	64742-49-0	DNEL	13,964 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hydrocarbons, C7- C9, n-alkanes, isoalkanes, cyclics		DNEL	773 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Hydrocarbons, C7- C9, n-alkanes, isoalkanes, cyclics		DNEL	2,035 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Hydrocarbons, C9, aromatics	64742-95-6 128601-23-0	DNEL	151 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Hydrocarbons, C9, aromatics	64742-95-6 128601-23-0	DNEL	12.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental com- partment	Exposure time
ethyl acetate	141-78-6	PNEC	0.24 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
ethyl acetate	141-78-6	PNEC	0.024 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
ethyl acetate	141-78-6	PNEC	650 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
ethyl acetate	141-78-6	PNEC	1.15 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
ethyl acetate	141-78-6	PNEC	0.115 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
ethyl acetate	141-78-6	PNEC	0.148 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
ethyl acetate	141-78-6	PNEC	1.65 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

according to Regulation (EC) No. 1907/2006 (REACH)

40903916 - COREXX Steinschlag-Schutz Spray gau - 500 ml

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2)

Revision: 2024-02-26

Individual protection measures (personal protective equipment)



Personal protective equipment shall be used when the risks cannot be avoided or sufficiently limited by technical means of col-lective protection or by measures, methods or procedures of work organization.

Eye/face protection

Use protective eyewear to guard against splash of liquids.

Skin protection

Hand protection

Wear protective gloves. (Splash protection)

Type of material

NR: natural rubber, latex, FKM: fluoro-elastomer

Breakthrough times of the glove material

>480 minutes (permeation: level 6)

Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Full face mask/half mask/quarter mask (EN 136/140). Type: AX-P2 (gas filters and combined filters against low-boiling point organic compounds and particles, colour code: Brown/ White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

mormation on basic physical and chemical properties					
Physical state	aerosol (spray aerosol)				
Colour	acc. to product description				
Odour	characteristic				
Melting point/freezing point	not determined				
Boiling point or initial boiling point and boiling range	-161.5 °C at 1,013 hPa				
Flammability	flammable aerosol in accordance with GHS criteria				
Lower and upper explosion limit	0.6 vol% - 15 vol%				
Flash point	-87 °C at 1,013 hPa				
Auto-ignition temperature	264 °C (auto-ignition temperature (liquids and gases))				
Decomposition temperature	not relevant				
pH (value)	not determined				
Kinematic viscosity	not relevant				
Solubility(ies)	not determined				
Partition coefficient					

Partition coefficient n-octanol/ water (log value)	this information is not available
Vapour pressure	3,000 hPa at 20 °C

according to Regulation (EC) No. 1907/2006 (REACH)

40903916 - COREXX Steinschlag-Schutz Spray gau - 500 ml

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2)

	Density and/or relative density							
	Density	0.7 ^g / _{ml} at 20 °C (calculated value)						
	Relative vapour density	information on this property is not available						
2	Other information							
	Information with regard to physical hazard classes	there is no additional information						
	Other safety characteristics							
	Temperature class (EU, acc. to ATEX)	T3 (maximum permissible surface temperature on the equipment: 200°C)						
ECT	TION 10: Stability and reactiv	ity						
).1	Reactivity							
	Concerning incompatibility: see be stance(s). Risk of ignition.	elow "Conditions to avoid" and "Incompatible materials". The mixture contains reactive sub						
).2	Chemical stability							
	See below "Conditions to avoid".							
).3	Possibility of hazardous reactions							
	No known hazardous reactions.							
).4	Conditions to avoid	other ignition course. Keen away from heat						
	Hints to prevent fire or explosion	other ignition source. Keep away from heat.						
	Protect from sunlight.							
).5	Incompatible materials							
	Oxidisers							
).6	Hazardous decomposition products							
	Reasonably anticipated hazardous known. Hazardous combustion pr	s decomposition products produced as a result of use, storage, spill and heating are not roducts: see section 5.						
ECT	TION 11: Toxicological inform	nation						
1.1	Information on hazard classes as	defined in Regulation (EC) No 1272/2008						
	Test data are not available for the Classification procedure							
	The method for classification of th	e mixture is based on ingredients of the mixture (additivity formula).						
	Classification according to GHS (1272/2008/EC, CLP) Acute toxicity							
	Shall not be classified as acutely toxic. Skin corrosion/irritation							
	Causes skin irritation.							
	Serious eye damage/eye irritatior	n						
	Causes serious eye irritation. Respiratory or skin sensitisation							
	Shall not be classified as a respirat Germ cell mutagenicity	tory or skin sensitiser.						
	Shall not be classified as germ cell mutagenic. Carcinogenicity							
	Shall not be classified as carcinogenic. Reproductive toxicity							
	Shall not be classified as a reproductive toxicant.							
	Specific target organ toxicity - sin							
	May cause drowsiness or dizziness Specific target organ toxicity - rep							
	Shall not be classified as a specific	: target organ toxicant (repeated exposure).						
	Aspiration hazard							

according to Regulation (EC) No. 1907/2006 (REACH)

40903916 - COREXX Steinschlag-Schutz Spray gau - 500 ml

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2)

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Acc. to 1272/2008/EC: Harmful to aquatic life with long lasting effects. Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 2, obviously hazardous to water (Germany)

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ethyl acetate	141-78-6	EC50	2,306 ^{mg} / _l	aquatic invertebrates	24 h
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		LL50	100 ^{mg} / _l	fish	24 h
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		EL50	22 ^{mg} / _l	aquatic invertebrates	24 h
Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics		EC50	0.23 ^{mg} / _l	aquatic invertebrates	21 d
Hydrocarbons, C9, aromatics	64742-95-6 128601-23-0	EC50	>99 ^{mg} / _l	microorganisms	10 min

12.2 Persistence and degradability

Degradability of components						
Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
ethyl acetate	141-78-6	oxygen deple- tion	62 %	5 d		
Naphtha (pet- roleum), hy- drotreated light	64742-49-0	oxygen deple- tion	83 %	10 d		ECHA
Hydrocarbons, C9, aromatics	64742-95-6 128601-23-0	oxygen deple- tion	30.9 %	2 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components					
Name of substance	CAS No	BCF	Log KOW	BOD5/COD	
butane	106-97-8		1.09 (pH value: 7, 20 °C)		
ethyl acetate	141-78-6	30	0.68 (pH value: 7, 25 °C)		
propane	74-98-6		1.09 (pH value: 7, 20 °C)		
Naphtha (petroleum), hydro- treated light	64742-49-0	501.2	3.6 (pH value: 7, 20 °C)		
isobutane	75-28-5		1.09 (pH value: 7, 20 °C)		
Hydrocarbons, C9, aromatics	64742-95-6 128601-23-0	≥30.85 - ≤467	≥3.03 – ≤4.73 (pH value: ~7, 20 °C)		

12.4 Mobility in soil

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)

40903916 - COREXX Steinschlag-Schutz Spray gau - 500 ml

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2)

12.5 **Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$

12.6 **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of $\ge 0,1\%$.

Other adverse effects 12.7

Data are not available.

SECTION 13: Disposal considerations

Waste treatment methods 13.1

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

List of wastes, (Recommendations)

Product

08 01 11* Waste paint and varnish containing organic solvents or other hazardous substances

Product residues

16 05 04* Gases in pressure containers (including halons) containing hazardous substances

Packagings

15 01 04 Metallic packaging

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADR/RID/ADN	UN 1950
	IMDG-Code	UN 1950
	ICAO-TI	UN 1950
14.2	UN proper shipping name	
	ADR/RID/ADN	AEROSOLS
	IMDG-Code	AEROSOLS
	ICAO-TI	Aerosols, flammable
14.3	Transport hazard class(es)	
	ADR/RID/ADN	2 (2.1)
	IMDG-Code	2.1
	ICAO-TI	2.1
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6	Special precautions for user	
	Provisions for dangerous good	s (ADR) should be complied within the premises.
14.7	Maritime transport in bulk acc	ording to IMO instruments
	The cargo is not intended to be	carried in bulk.
	Information for each of the UN	Model Regulations

Transport of dangerous good	by road, rail and inland waterway (ADR/RID/ADN) Additional information
Classification code	5F
Danger label(s)	2.1
Special provisions (SP)	190, 327, 344, 625
Excepted quantities (EQ)	EO
Limited quantities (LQ)	1 L

2

D

Transport category (TC)

Tunnel restriction code (TRC)

according to Regulation (EC) No. 1907/2006 (REACH)

40903916 - COREXX Steinschlag-Schutz Spray gau - 500 ml

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2)

Marine pollutant					
•	-				
Danger label(s)		1			
Special provisions (SP)	63	3, 190, 277, 327, 344, 38	1, 959		
Excepted quantities (EC)			
imited quantities (LQ)		=			
mS	F-	D, S-U			
Stowage category	<u>.</u>				
		on (ICAO-IATA/DGR) Ad	Iditional information		
Danger label(s)	2.	I			
Special provisions (SP)	A	145, A167			
		r			
Excepted quantities (EC	Q) E(J			
imited quantities (EQ.) kg			
imited quantities (LQ)	30	-			
imited quantities (LQ) N 15: Regulatory	30 v information) kg	cific for the substance or n	nivture	
imited quantities (LQ) IN 15: Regulatory Gafety, health and env	30 v information vironmental regu) kg lations/legislation spe	cific for the substance or n	nixture	
imited quantities (LQ) IN 15: Regulatory Gafety, health and env Relevant provisions of	30 / information /ironmental regu f the European Ur) kg lations/legislation spe nion (EU)		nixture	
imited quantities (LQ) IN 15: Regulatory afety, health and env Relevant provisions of ist of substances sub	3(information vironmental regu f the European Ur vject to authorisat) kg lations/legislation spe nion (EU)	cific for the substance or n V) / SVHC - candidate list	nixture	
imited quantities (LQ) IN 15: Regulatory Gafety, health and env Relevant provisions of	3(vinformation vironmental regu f the European Ur vject to authorisat its are listed) kg lations/legislation spe nion (EU)		nixture	
imited quantities (LQ) IN 15: Regulatory afety, health and env Relevant provisions of ist of substances sub none of the ingredien	30 vinformation vironmental regu f the European Ur oject to authorisat uts are listed 2004/42/EC)) kg lations/legislation spe nion (EU)		nixture	
imited quantities (LQ) IN 15: Regulatory afety, health and env Relevant provisions of ist of substances sub none of the ingredien Deco-Paint Directive (VOC content	3(vinformation vironmental regu f the European Ur oject to authorisat tts are listed 2004/42/EC) 58) kg lations/legislation spe nion (EU) tion (REACH, Annex XI		nixture	
imited quantities (LQ) IN 15: Regulatory Gafety, health and env Relevant provisions of ist of substances sub none of the ingredien Deco-Paint Directive (3(vinformation vironmental regu f the European Ur oject to authorisat tts are listed 2004/42/EC) 58) kg lations/legislation spe nion (EU) tion (REACH, Annex XI		nixture	
imited quantities (LQ) IN 15: Regulatory afety, health and env Relevant provisions of ist of substances sub none of the ingredien Deco-Paint Directive (VOC content	3(vinformation vironmental regu f the European Ur oject to authorisat tts are listed 2004/42/EC) 58) kg lations/legislation spe hion (EU) tion (REACH, Annex XIV 31.9 ^g / _l		nixture	VOC g/l

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Hydrocarbons, C9, aromatics		a)	

Legend a)

SEC

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV) Wassergefährdungsklasse, WGK (water hazard class)

Germany: en

according to Regulation (EC) No. 1907/2006 (REACH)

40903916 - COREXX Steinschlag-Schutz Spray gau - 500 ml

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2) Revision: 2024-02-26

Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentra- tion	Notation
5.2.5	organic substances		≥25 wt%	0.5 ^{kg} / _h	50 ^{mg} / _{m³}	3)

Notation

3) a total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

National inventories

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
Leaend		

REACH Reg. REACH registered substances

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
1.3	Details of the supplier of the safety data sheet: ad-AUTOTEILE-CARGO Gmbh & Co. KG Am Victoria-Turm 2 68163 Mannheim Germany	Details of the supplier of the safety data sheet: ad-AUTOTEILE-CARGO Gmbh & Co. KG Am Victoria-Turm 2 68163 Mannheim Germany	yes
	Telephone: +49 (0)621 / 8 60 80 - 0 Website: www.corexx.eu	Telephone: +49 (0)621 / 8 60 80 - 0 e-mail: info@carat-gruppe.de Website: www.corexx.eu	
1.4	Emergency information service: +49 (0)621 / 8 60 80 - 0 (über die Zentrale ver- mittelt) This number is only available during the follow- ing office hours: Mon-Fri 09:00 - 17:00	Emergency information service: +49 (0)621 / 8 60 80 - 0 (über die Zentrale ver- mittelt) This number is only available during the follow- ing office hours: Mon-Fri 08:00 - 17:00	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations.
2017/164/EU.	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and
ADN.	amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU. Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways).
ADR.	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Danger-
ADR/RID/ADN. AGW. Aguatic Acute.	ous Goods by Road). Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN). Workplace exposure limit. Hazardous to the aquatic environment - acute hazard.
Aquatic Chronic.	Hazardous to the aquatic environment - chronic hazard.
Asp. Tox. BCF.	Aspiration hazard. Bioconcentration factor.
BOD.	Biochemical Öxygen Demand.
CAS. Ceiling-C.	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances). Ceiling value.
CLP.	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
COD. DFG.	Chemical oxygen demand. Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim.
DGR.	Dangerous Goods Regulations (see IATA/DGR).
DNEL. EC50.	Derived No-Effect Level. Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval.
EC No.	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially avail- able within the EU (European Union).
ED. EINECS.	Endocrine disruptor. European Inventory of Existing Commercial Chemical Substances.
EL50.	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms.
ELINCS. EmS.	European List of Notified Chemical Substances. Emergency Schedule.
Eye Dam.	Seriously damaging to the eye.
Eye Irrit. Flam. Gas.	Irritant to the eye. Flammable gas.
Flam. Liq.	Flammable líquid.
GHS. IATA.	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations. International Air Transport Association.
IATA/DGR.	Dangerous Goods Regulations (DGR) for the air transport (IATA).
ICAO. ICAO-TI.	International Civil Aviation Organization. Technical instructions for the safe transport of dangerous goods by air.
1040-11.	recumical instructions for the safe transport of dangerous goods by an.

according to Regulation (EC) No. 1907/2006 (REACH)

40903916 - COREXX Steinschlag-Schutz Spray gau - 500 ml

Version number: GHS 3.0 Replaces version of: 2024-02-22 (GHS 2) Revision: 2024-02-26

Abbr.	Descriptions of used abbreviations.
IMDG.	International Maritime Dangerous Goods Code.
IMDG-Code.	International Maritime Dangerous Goods Code.
Index No. IOELV.	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008. Indicative occupational exposure limit value.
LGK.	Lagerklasse (storage class according to TRGS 510, Germany).
LL50.	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality.
Log KOW.	n-Octanol/water.
NLP.	No-Longer Polymer.
PBT.	Persistent, Bioaccumulative and Toxic.
PNEC.	Predicted No-Effect Concentration.
Ppm.	Parts per million.
Press. Gas.	Gas under pressure.
REACH.	Registration, Evaluation, Authorisation and Restriction of Chemicals.
RID.	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage
Skin Corr.	of Dangerous goods by Rail).
Skin Irrit.	Irritant to skin.
STEL.	Short-term exposure limit.
STOT SE.	Specific target organ toxicity - single exposure.
SVHC.	Substance of Very High Concern.
TRGS.	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany).
TRGS 900.	Arbeitsplatzgrenzwerte (TRGS 900).
TWA.	Time-weighted average.
VOC.	Volatile Organic Compounds.
VPvB.	Very Persistent and very Bioaccumulative.

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

	•
H220. H221. H222. H225. H226. H229. H280. H304. H315. H319. H335. H335.	Extremely flammable gas. Flammable gas. Extremely flammable aerosol. Highly flammable liquid and vapour. Flammable liquid and vapour. Pressurised container: May burst if heated. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsinges or dizzinges
H335. H336.	May cause respiratory irritation. May cause drowsiness or dizziness.
H400. H411. H412.	Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.