

Printing date: 01.07.2019 Version number 5 Revision: 13.05.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: BELT CARE Riemen Pflegemittel
- · Article number: CDEBC
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture: Surface protection
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Universal Transmissions GmbH

Walkmühlenstraße 195

99974 Mühlhausen

GERMANY

service@carbondrive.net

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number: During normal opening times: +49 4163 81590

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

502 GHS07

GHS00

- · Signal word Danger
- · Hazard-determining components of labelling: Hydrocarbons, C8-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

(Contd. on page 2)

Printing date: 01.07.2019 Version number 5 Revision: 13.05.2019

Tade name: BELT CARE Riemen Pflegemittel

(Contd. of page 1)

Hydrocarbons, C7-C9, n-alkanes, iso-alkanes, cyclic

Naphtha (petroleum), heavy alkylate

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

Buildup of explosive mixtures possible without sufficient ventilation.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32-xxxx	butane Flam. Gas 1, H220	30-50%
EC number: 928-136-4 Index number: 649-330-00-2 Reg.nr.: 01-2119484809-19-0000 01-2119458049-33	Hydrocarbons, C8-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) ♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ STOT SE 3, H336	10-20%
EC number: 920-750-0 Reg.nr.: 01-2119473851-33	Hydrocarbons, C7-C9, n-alkanes, iso-alkanes, cyclic → Flam. Liq. 2, H225; → Asp. Tox. 1, H304; → Aquatic Chronic 2, H411; → STOT SE 3, H336	10-20%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1, H220	10-20%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27-xxxx	isobutane Flam. Gas 1, H220; Press. Gas C, H280	10-20%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After skin contact: Generally the product does not irritate the skin.

(Contd. on page 3)

Printing date: 01.07.2019 Version number 5 Revision: 13.05.2019

Tade name: BELT CARE Riemen Pflegemittel

(Contd. of page 2)

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

 $Ensure\ a dequate\ ventilation.$

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· Storage class: 2 B

(Contd. on page 4)

Printing date: 01.07.2019 Version number 5 Revision: 13.05.2019

Tade name: BELT CARE Riemen Pflegemittel

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.3 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: Level ≤ 6

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Aerosol
Colour: Yellowish
Odour: Characteristic
Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: Not applicable, as aerosol.

· Flash point: -60 °C

(Contd. on page 5)

Printing date: 01.07.2019 Version number 5 Revision: 13.05.2019

Tade name: BELT CARE Riemen Pflegemittel

	(Contd. of page
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	324 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.
· Explosion limits:	
Lower:	0.7 Vol %
Upper:	10.9 Vol %
· Vapour pressure at 20 °C:	3,800 hPa
· Density at 20 °C:	0.62 g/cm³
· Relative density	Not determined.
Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	98.2 %
VOC (EC)	98.22 %
Solids content:	1.2 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

Tient toxicity Bused on available data, the classification of the field the field.				
· LD/LC50 values relevant for classification:				
Hydrocarbons, C8-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)				
Oral	LD50	>5,000 mg/kg (rat)		
Hydrocarbons, C7-C9, n-alkanes, iso-alkanes, cyclic				
Oral	<i>LD50</i>	>5,000 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rat)		

(Contd. on page 6)

Printing date: 01.07.2019 Version number 5 Revision: 13.05.2019

Tade name: BELT CARE Riemen Pflegemittel

(Contd. of page 5)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

•	European	waste	catal	logue
---	----------	-------	-------	-------

15 01 10* packaging containing residues of or contaminated by hazardous substances

15 01 04 metallic packaging

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, IMDG, IATA UN1950

(Contd. on page 7)

Printing date: 01.07.2019 Version number 5 Revision: 13.05.2019

Tade name: BELT CARE Riemen Pflegemittel

	(Contd. of pag
· 14.2 UN proper shipping name	
· ADR	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS
· IMDG	AEROSOLS (TURPENTINE SUBSTITUTE, Hydrocarbo
	C7-C9, n-alkanes, iso-alkanes, cyclic), MARII
1474	POLLUTANT
· IATA	AEROSOLS, flammable
· 14.3 Transport hazard class(es)	
$\cdot ADR$	
Y	
· Class	2 5F Gases.
· Label	2.1
·IMDG	
· Class	2.1
· Label	2.1
· Class · Label	2.1 2.1
	2.1
· 14.4 Packing group	77.11
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	
14.5 Environmental nazaras.	Product contains environmentally hazardous substanc
14.3 Environmental nazaras.	Product contains environmentally hazardous substanc pentyl salicylate
· Marine pollutant:	pentyl salicylate Yes
· Marine pollutant:	pentyl salicylate Yes Symbol (fish and tree)
	pentyl salicylate Yes
· Marine pollutant:	pentyl salicylate Yes Symbol (fish and tree)
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler):	pentyl salicylate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases.
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number:	pentyl salicylate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases F-D,S-U
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler):	pentyl salicylate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases F-D,S-U SW1 Protected from sources of heat.
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number:	pentyl salicylate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number:	pentyl salicylate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit Category A. For AEROSOLS with a capacity above 1 lit
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number:	pentyl salicylate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit Category A. For WASTE AEROSOLS: Category C, Cle
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Code	pentyl salicylate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit Category A. For AEROSOLS with a capacity above 1 lit Category B. For WASTE AEROSOLS: Category C, Cle of living quarters.
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number:	pentyl salicylate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases. F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit Category A. For AEROSOLS with a capacity above 1 lit Category B. For WASTE AEROSOLS: Category C, Cle of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litr
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Code	pentyl salicylate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit. Category A. For AEROSOLS with a capacity above 1 lit. Category B. For WASTE AEROSOLS: Category C, Cleof living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litr. Segregation as for class 9. Stow "separated from" class.
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Code	pentyl salicylate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases. F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit. Category A. For AEROSOLS with a capacity above 1 lit. Category B. For WASTE AEROSOLS: Category C, Cle. of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litr. Segregation as for class 9. Stow "separated from" class. except for division 1.4.
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Code	Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases. F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit. Category A. For AEROSOLS with a capacity above 1 lit. Category B. For WASTE AEROSOLS: Category C, Cle of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litr Segregation as for class 9. Stow "separated from" class. except for division 1.4. For AEROSOLS with a capacity above 1 litre:
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Code	pentyl salicylate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases. F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit. Category A. For AEROSOLS with a capacity above 1 lit. Category B. For WASTE AEROSOLS: Category C, Cle. of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litr Segregation as for class 9. Stow "separated from" class. except for division 1.4. For AEROSOLS with a capacity above 1 litre:
· Marine pollutant: · Special marking (ADR): · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Code	pentyl salicylate Yes Symbol (fish and tree) Symbol (fish and tree) Warning: Gases. F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit. Category A. For AEROSOLS with a capacity above 1 lit. Category B. For WASTE AEROSOLS: Category C, Cle of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litr Segregation as for class 9. Stow "separated from" clas. except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2

Printing date: 01.07.2019 Version number 5 Revision: 13.05.2019

Tade name: BELT CARE Riemen Pflegemittel

	(Contd. of page
· 14.7 Transport in bulk according to Anne	ex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· Transport category	2
· Tunnel restriction code	D
· <i>IMDG</i>	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
<u> </u>	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALL
<u> </u>	HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Product safety department
- · Contact: Mr. Weber, PhD.
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 9)

Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Version number 5 Revision: 13.05.2019 Printing date: 01.07.2019

Tade name: BELT CARE Riemen Pflegemittel

(Contd. of page 8)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases – Category 1

Aerosol 1: Aerosols – Category 1

Press. Gas C: Gases under pressure – Compressed gas
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

· * Data compared to the previous version altered.