

Page 1/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

Article number: 1005439023000 **UFI**: D2E1-P2X0-W001-WT1G

1.2 Relevant identified uses of the substance or mixture and uses advised against

Restrictions on use:

Restrictions on use apply to this product according to Regulation (EU) no. 1907/2006 Annex XVII (see

section 15)

Application of the substance / the mixture Cleaning agent / Cleaner

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

STOCKMEIER Chemie GmbH & Co.KG, Am Stadtholz 37, DE - 33609 Bielefeld

Tel.: +49 521 / 30 37-0, ehs-bielefeld@stockmeier.de

STOCKMEIER Fluids GmbH & Co. KG, Sanssouci 12, DE – 58802 Balve

Tel.: +49 2375 917 310, fluids@stockmeier.com

BASSERMANN Minerals GmbH & Co. KG, Rudolf-Diesel-Straße 42, DE – 68169 Mannheim

Tel.: +49 621 15 01 0, verkauf@bassermann.de

STOCKMEIER CHEMIA Sp. z o. o. i S.S.K., ul. Obornicka 277, PL - 60-691 Poznań

Tel.: +48 61 666 10 66, zamowienia@stockmeier.pl

STOCKMEIER QUIMICA, S.L.U., Avda. del Baix Llobregat, 3- 5, ES – 08970 Sant Joan Despí (Barcelona)

Tel.: +34 93 506 91 83, tecnico-calidad@stockmeier.es

STOCKMEIER NETHERLANDS B.V., Ridderpoort 5, NL - 2984 BG Ridderkerk

Tel.: +31 180 41 5988, info@stockmeier.nl

STOCKMEIER Chemie Austria, Ricoweg 32b, AT - 2351 Wiener Neudorf Tel.: +43 2236 623-40, office@stockmeier.at

KEMTAN AG, Seewenweg 6, CH - 4153 Reinach

Tel.: +41 61 711 20 20, info@kemtan.ch

STOCKMEIER CHEMICALS BELUX SA/NV, Rue de la Station 17, BE – 1300 Limal

Tel.: +32 10 421-320, info@stockmeierchemicalsbelux.com

HDS – Chemie Handels GES.M.B.H., Bauernmarkt 24, AT - 1010 Wien

Tel.: +43 15 32 0 999, office@hds-chemie.at

www.stockmeier.com

Informing department:

Product safety department. Tel.: 0049 / 521 / 3037-381

E-mail: ehs-bielefeld@stockmeier.de

1.4 Emergency telephone number:

This is an English-language document designed for the European region. For the emergency number and other country-specific data, please refer to the specific national versions of this safety data sheet.

Counselling Centre for Poisoning, Mainz

Tel. (+49) 61 31 / 19 240.

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

(Contd. of page 1)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1 H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

alkyl poly ethylene glycol ether

sodium hydroxide

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Determination of endocrine-disrupting properties Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of the substances listed below with non-hazardous additions (solution in water).

Dangerous components:		
CAS: 9043-30-5	Isotridecanol, ethoxylated	≥3-≤10%
Polymer	Eye Dam. 1, H318; Acute Tox. 4, H302	
CAS: 15763-76-5	sodium p-cumenesulphonate	≤2,5%
EINECS: 239-854-6	Eye Irrit. 2, H319	
Reg.nr.: 01-2119489411-37		
		(Contd. on page 3)

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

		(Contd. of page 2)
CAS: 127184-52-5 Polymer	Benzenesulfonic acid, 4-C1-13-sec-alkyl derivates, sodium salt	≥1-<2,5%
	Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
CAS: 112-34-5	diethylene glycol monobutyl ether	≤1%
EINECS: 203-961-6 Reg.nr.: 01-2119475104-44	Eye Irrit. 2, H319 substance with a Community workplace exposure limit	
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	≥0,1-<0,25%
EINECS: 232-433-8 Reg.nr.: 01-2119529223-47	Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Skin Irrit. 2, H315; Skin Sens. 1, H317	

SVHC

This preparation does not contain any substances of very high concern (SVHC) in a concentration of \geq 0.1 % according to Regulation (EC) 1907/2006, Article 57.

Additional information For the wording of the listed hazard phrases refer to section 16.

Composition/Ingredients

Constituents according to EC-Regulation 648/2004:

5 - 15 % non-ionic surfactants,

< 5 % anionic surfactants

Duftstoffe (D-Limonene, Linalool, Butylphenyl Methylpropional)

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation Supply fresh air; consult doctor in case of symptoms.

After skin contact

Remove contaminated clothing immediately. Wash affected areas with plenty of water und soap. If irritation continues, contact a doctor.

After eye contact

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Adapt protective equipment to the surrounding fire.

Additional information

Cool endangered containers in the vicinity with a water spray jet.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

EUE -

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

(Contd. of page 3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Put on protective equipment and keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or water bodies.

In case of release of larger quantities, inform competent authorities.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Prevent formation of aerosols.

Prevent eye and skin contact.

Information about protection against explosions and fires:

Observance of the general rules of preventive operational fire protection.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers:

Observe laws and regulations on the storage and use of substances hazardous to water.

Unsuitable materials: many metallics and metallic alloys

Store in the delivery container or in PE containers.

Information about storage in one common storage facility: Store away from foodstuffs.

Storage class 8 B L (VCI - Konzept, 2007)

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

Void

112-34-5 diethylene glycol monobutyl ether AGW (Germany) Long-term value: 67 mg/m³, 10 ppm 1,5(I);EU, DFG, Y, 11

EG (Germany) Short-term value: 101,2 mg/m³, 15 ppm

Long-term value: 67,5 mg/m³, 10 ppm

MAK (Germany) Long-term value: 67 mg/m³, 10 ppm

Dampf und Aerosol

IOELV (EU) Short-term value: 101,2 mg/m³, 15 ppm

Long-term value: 67,5 mg/m³, 10 ppm

DNELs

15763-76-5 sodium p-cumenesulphonate

Oral DNEL (population) 3,8 mg/kg bw/day (Long-term, systemic effects)

(Contd. on page 5)

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

			(Contd. of page 4
Dermal	DNEL (worl	•	7,6 mg/kg bw/day (Long-term, systemic effects)
	DNEL (pop	ulation)	3,8 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worl	ker)	53,6 mg/m³ (Long-term, systemic effects)
	DNEL (pop	ulation)	13,2 mg/m³ (Long-term, systemic effects)
112-34-5	diethylene o	glycol n	nonobutyl ether
Oral	DNEL (pop	ulation)	6,25 mg/kg bw/day (Long-term, systemic effects)
	DNEL (pop	ulation)	5 mg/kg (Long-term, systemic effects)
Dermal	DNEL (worl	ker)	83 mg/kg bw/day (Long-term, systemic effects)
	DNEL (pop	ulation)	50 mg/kg bw/day (Long-term, systemic effects)
Inhalative	DNEL (worl	ker)	101,2 mg/m³ (Acute, local effects)
	,	•	67,5 mg/m³ (Long-term, local effects)
	DNEL (population)		60,7 mg/m³ (Acute, local effects)
		,	40,5 mg/m³ (Long-term - systemic + local effects)
PNECs			
15763-76-	5 sodium p	-cumen	nesulphonate
PNE	C water	0,23 m	g/l (freshwater)
		2,3 mg	/I (intermittent releases)
PNE	C STP	,	
112-34-5 diethylene glycol monobutyl ether			
Oral PNE		56 mg/kg (Nahrung) (Secondary poisoning)	
PNE	C water	1,1 mg/l (freshwater)	
		0,11 mg/l (marine water)	
PNE	С	11 mg/l (intermittent releases)	
	_	t 4,4 mg/kg dw (freshwater)	
	20 octamient is migrag an (noonmater)		

Additional information: The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

PNEC soil

Appropriate engineering controls No further data; see section 7.

0,32 mg/kg dw (soil)

Individual protection measures, such as personal protective equipment

0,44 mg/kg dw (marine water)

General protective and hygienic measures

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Breathing equipment: Use breathing protection only when aerosol or mist is formed.

Hand protection

Protective gloves (EN 374).

Check the permeability prior to each anewed use of the glove.

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 6)

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

(Contd. of page 5)

Penetration time of glove material

Note information regarding permeation rate, penetration times and the degradation supplied by the manufacturer of gloves just as workplace-specific conditions.

Change gloves if notice sign of disenchantment. **Eye/face protection** Tightly sealed safety glasses. **Body protection:** Standard protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid

Colour: colorless - yellowish
Smell: Characteristic
Odour threshold: Not determined
Melting point/freezing point: Not determined

Boiling point or initial boiling point and boiling

range >100 °C Flammability Not applicable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.

Flash point: Product is non-flammable nor potentially explosive

Decomposition temperature: Not determined. pH at 20 °C >13 (Konz.)

pH-value: Viscosity:

Kinematic viscosity dynamic:Not determined.

Not determined.

Solubility

Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined

Vapour pressure at 20 °C: 23 hPa (7732-18-5 water, distilled, conductivity or of

similar purity)

Density and/or relative density

Density at 20 °C 1,07 g/cm³
Relative density Not determined.
Vapour density Not determined.

9.2 Other information

Appearance:

Form: Fluid Important information on protection of health

and environment, and on safety.

Self-inflammability: Product is not selfigniting.

Explosive properties: Product is not potentially explosive

Evaporation rate Not determined

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void

(Contd. on page 7)

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

(Contd. of page 6)

Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	nable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	May be corrosive to metals.	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Exothermic reactions with acids.

Corrosive action on metals

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Strong acids
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 v	LD/LC50 values that are relevant for classification:		
9043-30-5	9043-30-5 Isotridecanol, ethoxylated		
Oral	LD50	500-2000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rabbit) (Literaturwerte)	
15763-76-	15763-76-5 sodium p-cumenesulphonate		
Oral	LD50	>2000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rabbit)	
112-34-5	112-34-5 diethylene glycol monobutyl ether		
Oral	LD50	2410-5530 mg/kg (mouse)	
		>2000 mg/kg (rat) (OECD 401)	
Dermal	LD50	>2000 mg/kg (rabbit) (OECD 402)	
		2764 mg/kg (rat) (OECD 402)	
Inhalative	LC 50 / 2 h	>29 mg/l (rat)	

(Contd. on page 8)

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

(Contd. of page 7)

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information: The classification as corrosive results from the extreme pH value.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

-	1211 TOXION		
Aquatic toxicity:			
9043-30-5 Isotridecanol, ethoxylated			
LC 50 / 96 h	1-10 mg/l (Danio rerio)		
EC 50 / 48 h	7,7 mg/l (Daphnia magna)		
EC 50 / 72 h	>10 mg/l (Desmodesmus subspicatus)		
15763-76-5 sodium	p-cumenesulphonate		
LC 50 / 96 h	>100 mg/l (fish)		
EC 50 / 48 h	>100 mg/l (Daphnia magna)		
EC 50 / 72 h	>100 mg/l (Desmodesmus subspicatus)		
EC 50 / 2 h	>1000 mg/l (activated sludge (method OECD 209))		
112-34-5 diethylene	112-34-5 diethylene glycol monobutyl ether		
LC 50 / 96 h (static)	1300 mg/l (Lepomis macrochirus) (OECD 203)		
EC 50 / 48 h (static)	>100 mg/l (Daphnia magna) (OECD 202)		
EC 50 / 48 h	4950 mg/l (Daphnia magna)		
EC 50 / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)		
EC 50 / 24 h	2850 mg/l (Daphnia magna)		
EC 50 / 72 h (static)	>100 mg/l (Desmodesmus subspicatus) (OECD 201)		
NOEC / 96 h	>100 mg/l (Desmodesmus subspicatus) (OECD 201)		
NOEC / 48 h	>100 mg/l (Daphnia magna) (OECD 202)		

12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

9043-30-5 Isotridecanol, ethoxylated

Biodegradability >60 % (OECD 301 B) (Literaturwerte)

(Contd. on page 9)

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

(Contd. of page 8)

15763-76-5 sodium p-cumenesulphonate

Biodegradability >60 % (OECD 301 B)

112-34-5 diethylene glycol monobutyl ether

Biodegradability ~85 % (28 d, OECD 301 C) 100 % (OECD 302 B)

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):

112-34-5 diethylene glycol monobutyl ether

EC 10 / 0,5 h >1995 mg/l (activated sludge (DEV - L2)) (OECD 209 (Activated Sludge, Resp. Inhibition Test))

Additional ecological information:

General notes:

The product contains no organic halogen compounds (AOX).

The product contains no organic complexing agents, which are not biodegradable (DOC elimination > 80 % within 28 d)

Water hazard class 1 (Self-assessment): slightly hazardous for water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The note below refers to the product left as it is and not to further processed products. When mixed with other products, other disposal routes may be required; if in doubt, consult the supplier of the product or the local authority.

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Contact manufacturer for recycling information.

When used as intended, the product enters the waste water.

Waste disposal key number:

Since 1 January 1999, the waste code numbers have not only been product-related but essentially application-related. The waste code number valid for the application can be taken from the European Waste Catalogue.

Uncleaned packagings:

Recommendation:

L e v e l o p m e n t : After optimal emptying, immediately return to the supplier tightly closed and without cleaning. Make sure that no foreign matter gets into the packaging!

Other containers: Empty completely and clean for reconditioning or reprocessing.

SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA

UN1760

(Contd. on page 10)

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

(Contd. of page 9)

	(Contd. of page 9
14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA	1760 CORROSIVE LIQUID, N.O.S. (alanine, N,N-bis(carboxymethyl)-, trisodium salt, SODIUM HYDROXIDE) CORROSIVE LIQUID, N.O.S. (alanine, N,N-bis(carboxymethyl)-, trisodium salt, SODIUM HYDROXIDE)
14.3 Transport hazard class(es)	
ADR/RID/ADN Class Label	8 (C9) Corrosive substances. 8
IMDG, IATA Class Label	8 Corrosive substances. 8
14.4 Packing group ADR/RID/ADN, IMDG, IATA	III
14.6 Special precautions for user Kemler Number: EMS Number: Segregation groups Stowage Category Stowage Code	Warning: Corrosive substances. 80 F-A,S-B (SGG18) Alkalis A SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to instruments	o IMO Not applicable.
Transport/Additional information:	
ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Código E4 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (ALANINE, N,N-BIS(CARBOXYMETHYL)-, TRISODIUM SALT, SODIUM HYDROXIDE), 8, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 11)

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

(Contd. of page 10)

Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:

alkyl poly ethylene glycol ether

sodium hydroxide **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P264 Wash thoroughly after handling. P280 Wear eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations

Information about limitation of use:

Employment restrictions concerning young persons must be observed.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

(Contd. of page 11)

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

UFI market placements:

Germany, Bulgaria, Denmark, DKE, ESE, European Union, Finland, SFS, France, Greece, Ireland, ISE, Croatia, Latvia, FL, Lithuania, LTE, Malta, Netherland, Norway, Germany, Poland, Portugal, Romania, Sweden, Slovakia, Slovenia, Spain, Czechia, Cyprus

Relevant phrases

Complete wording of hazard statements and risk phrases (H-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Department issuing data specification sheet: See section 1.3: Responding area

Date of previous version: 28.08.2023 Version number of previous version: 104.02

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

LEV. Local Exhaust Ventilation

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3 Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Corr. 1: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Asp. Tox. 1: Aspiration hazard – Category 1

Page 13/13

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.02.2024 Version number 104.03 (replaces version 104.02) Revision: 16.02.2024

Trade name Super-Kleen Allzweckreiniger SC 11560 neu

(Contd. of page 12)

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 * Data compared to the previous version altered.

EUE -