

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.11.2024

Version number 109.06 (replaces version 109.05)

Revision: 30.10.2024

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1 Product identifier**

**Trade name** GlossTec® Foam Special**Article number:** 1000539323055**UFI:** UYF3-82FC-S007-2SKG

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

##### **Restrictions on use:**

Restrictions on use according to REGULATION (EC) No 1907/2006 ANNEX XVII apply to this product (see section 15).

**Application of the substance / the mixture** Cleaner

#### **1.3 Details of the supplier of the safety data sheet**

##### **Manufacturer/Supplier:**

STOCKMEIER Chemie GmbH & Co.KG, Am Stadtholz 37, DE - 33609 Bielefeld  
Tel.: +49 521 / 30 37-0, [ehs-bielefeld@stockmeier.de](mailto:ehs-bielefeld@stockmeier.de)STOCKMEIER Fluids GmbH & Co. KG, Sanssouci 12, DE – 58802 Balve  
Tel.: +49 2375 917 310, [fluids@stockmeier.com](mailto:fluids@stockmeier.com)BASSERMANN Minerals GmbH & Co. KG, Rudolf-Diesel-Straße 42, DE – 68169 Mannheim  
Tel.: +49 621 15 01 0, [verkauf@bassermann.de](mailto:verkauf@bassermann.de)STOCKMEIER CHEMIA Sp. z o. o. i S.S.K., ul. Obornicka 277, PL - 60-691 Poznań  
Tel.: +48 61 666 10 66, [zamowienia@stockmeier.pl](mailto:zamowienia@stockmeier.pl)STOCKMEIER QUIMICA, S.L.U., Avda. del Baix Llobregat, 3- 5, ES – 08970 Sant Joan Despí (Barcelona)  
Tel.: +34 93 506 91 83, [tecnico-calidad@stockmeier.es](mailto:tecnico-calidad@stockmeier.es)STOCKMEIER NETHERLANDS B.V., Ridderpoort 5, NL - 2984 BG Ridderkerk  
Tel.: +31 180 41 5988, [info@stockmeier.nl](mailto:info@stockmeier.nl)STOCKMEIER Chemie Austria, Ricoweg 32b, AT - 2351 Wiener Neudorf  
Tel.: +43 2236 623-40, [office@stockmeier.at](mailto:office@stockmeier.at)KEMTAN AG, Seewenweg 6, CH – 4153 Reinach  
Tel.: +41 61 711 20 20, [info@kemtan.ch](mailto:info@kemtan.ch)STOCKMEIER CHEMICALS BELUX SA/NV, Rue de la Station 17, BE – 1300 Limal  
Tel.: +32 10 421-320, [info@stockmeierchemicalsbelux.com](mailto:info@stockmeierchemicalsbelux.com)HDS – Chemie Handels GES.M.B.H., Bauernmarkt 24, AT - 1010 Wien  
Tel.: +43 15 32 0 999, [office@hds-chemie.at](mailto:office@hds-chemie.at)[www.stockmeier.com](http://www.stockmeier.com)

##### **Informing department:**

Product safety department. Tel.: 0049 / 521 / 3037-381

E-mail: [ehs-bielefeld@stockmeier.de](mailto:ehs-bielefeld@stockmeier.de)

#### **1.4 Emergency telephone number:**

This is an English-language document designed for the European region. For the emergency number and other country-specific data, please refer to the specific national versions of this safety data sheet.

Counselling Centre for Poisoning, Mainz

Tel. (+49) 61 31 / 19 240.

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.11.2024

Version number 109.06 (replaces version 109.05)

Revision: 30.10.2024

Trade name GlossTec® Foam Special

(Contd. of page 1)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS05 GHS07

Signal word Danger

#### Hazard-determining components of labelling:

alcohols C10, ethoxylated

2-methyl-2H-isothiazol-3-one

1-Propanaminium, 3-Amino-N-(carboxymethyl)-N,N-dimethyl-, N-cocoacyl-derivate, Hydroxide, innere Salze

1,2-Benzisothiazol-3(2H)-one

#### Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

#### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Additional information:

According to the current state of knowledge, no synthetic polymer microparticles &gt; 0.01% are contained.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Description: Mixture of the following substances with non-hazardous additions.

(Contd. on page 3)

EUE

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.11.2024

Version number 109.06 (replaces version 109.05)

Revision: 30.10.2024

**Trade name GlossTec® Foam Special**

(Contd. of page 2)

| <b>Dangerous components:</b>                                     |   |                 |
|--|---|-----------------|
| CAS: 78330-20-8<br>Polymer                                       | alcohols C10, ethoxylated<br>Eye Dam. 1, H318; Acute Tox. 4, H302   | ≥3-≤10%         |
| EC number: 931-296-8<br>Reg.nr.: 01-2119488533-30                | 1-Propanaminium, 3-Amino-N-(carboxymethyl)-N,N-dimethyl-, N-cocoacylderivate, Hydroxide, innere Salze<br>Eye Dam. 1, H318; Aquatic Chronic 3, H412  | ≥3-<10%         |
| CAS: 69011-36-5<br>Polymer                                       | Isotridecanol, ethoxylated<br>Eye Dam. 1, H318; Acute Tox. 4, H302<br>Specific concentration limits:<br>Eye Dam. 1; H318: C ≥ 10,01 %<br>Eye Irrit. 2; H319: 1,01 % ≤ C < 10,01 %   | 2,5-10%         |
| CAS: 2634-33-5<br>EINECS: 220-120-9<br>Reg.nr.: 01-2120761540-60 | 1,2-Benzisothiazol-3(2H)-one<br>Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1); Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317<br>Specific concentration limit: Skin Sens. 1; H317: C ≥ 0,05 %<br>substance with a Community workplace exposure limit   | <0,05%          |
| CAS: 2682-20-4<br>EINECS: 220-239-6<br>Reg.nr.: 01-2120764690-50 | 2-methyl-2H-isothiazol-3-one<br>Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071<br>Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0,0015 %<br>substance with a Community workplace exposure limit | ≥0,0015-<0,025% |

**SVHC**

This preparation does not contain any substances of very high concern (SVHC) in a concentration of ≥ 0.1 % according to Regulation (EC) 1907/2006, Article 57.

**Additional information** For the wording of the listed hazard phrases refer to section 16.

**Composition/Ingredients**

Constituents according to EC-Regulation 648/2004:

15 - 30 % non-ionic surfactants,

5 - 15 % amphoteric surfactants,

Preservative

1,2-benzisothiazol-3(2H)-one,

2-methyl-2H-isothiazol-3-one,

Other ingredients: Colourants and excipients.

## SECTION 4: First aid measures

**4.1 Description of first aid measures**

**After inhalation** Supply fresh air; consult doctor in case of symptoms.

**After skin contact** Instantly rinse with water.

**After eye contact**

Rinse immediately opened eye for several minutes under running water. Then consult doctor.

**After swallowing**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 4)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.11.2024

Version number 109.06 (replaces version 109.05)

Revision: 30.10.2024

Trade name GlossTec® Foam Special

(Contd. of page 3)

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents** Coordinate fire extinguishing measures with the surroundings.**5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

Can be released in case of fire:

Nitrogen oxides (NO<sub>x</sub>)**5.3 Advice for firefighters****Protective equipment:** Adapt protective equipment to the surrounding fire.**Additional information** Cool endangered containers in the vicinity with a water spray jet.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Avoid eye and skin contact.

**6.2 Environmental precautions:**

Do not allow to enter the ground/soil.

Do not allow product to reach sewage system or water bodies.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Residues: rinse away with plenty of water.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling** Avoid eye contact.**Information about protection against explosions and fires:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage****Requirements to be met by storerooms and containers:**

Store in the delivery container or in PE containers.

**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** None.**Storage class** 12 (VCI - Konzept, 2007)**7.3 Specific end use(s)** No further relevant information available.**\* SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Components with critical values that require monitoring at the workplace:****2634-33-5 1,2-Benzisothiazol-3(2H)-one**

MAK (Germany) vgl. Abschn. IIb und Xc

(Contd. on page 5)

EUE

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.11.2024

Version number 109.06 (replaces version 109.05)

Revision: 30.10.2024

Trade name GlossTec® Foam Special

(Contd. of page 4)

**2682-20-4 2-methyl-2H-isothiazol-3-one**

MAK (Germany) vgl. Abschn. IIb und Xc

**Additional information:** The lists that were valid during the compilation were used as basis.**8.2 Exposure controls****Appropriate engineering controls** No further data; see section 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Avoid contact with the eyes.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

**Breathing equipment:** Not necessary if room is well-ventilated.**Hand protection** Protective gloves and protective skin cream.**Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Safety glasses recommended during refilling.**Body protection:** Protective work clothing.**Environmental exposure controls** Observe the local and national waste water regulations.

## \* SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties****General Information****Physical state**

Fluid

**Colour:**

Red

**Smell:**

weak

**Odour threshold:**

Not determined

**Melting point/freezing point:**

Not determined

**Boiling point or initial boiling point and boiling range**

100 °C (7732-18-5 water, distilled, conductivity or of similar purity)

**Flammability**

Not applicable.

**Lower and upper explosion limit****Lower:**

Not determined.

**Upper:**

Not determined.

**Flash point:**

Product is non-flammable nor potentially explosive

**Decomposition temperature:**

Not determined.

**pH at 20 °C**

7,3

**pH-value:****Viscosity:****Kinematic viscosity**

Not determined.

**dynamic:**

Not determined.

**Solubility****Water:**

Fully miscible

(Contd. on page 6)

EUE

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.11.2024

Version number 109.06 (replaces version 109.05)

Revision: 30.10.2024

Trade name GlossTec® Foam Special

(Contd. of page 5)

|  |                         |
|--|-------------------------|
| <b>Partition coefficient n-octanol/water (log value)</b> | Not determined          |
| <b>Vapour pressure:</b>                                  | Not determined.         |
| <b>Density and/or relative density</b>                   |                         |
| <b>Density at 20 °C</b>                                  | 1,028 g/cm <sup>3</sup> |
| <b>Relative density</b>                                  | Not determined          |
| <b>Vapour density</b>                                    | Not determined          |

**9.2 Other information****Appearance:****Form:** Fluid**Important information on protection of health and environment, and on safety.****Self-inflammability:** Product is not selfigniting.**Explosive properties:** Product is not potentially explosive**Evaporation rate** Not determined**Information with regard to physical hazard classes**

|  |      |
|--|------|
| <b>Explosives</b>  | Void |
| <b>Flammable gases</b>   | Void |
| <b>Aerosols</b>  | Void |
| <b>Oxidising gases</b>   | Void |
| <b>Gases under pressure</b>  | Void |
| <b>Flammable liquids</b>   | Void |
| <b>Flammable solids</b>  | Void |
| <b>Self-reactive substances and mixtures</b>                                     | Void |
| <b>Pyrophoric liquids</b>  | Void |
| <b>Pyrophoric solids</b>   | Void |
| <b>Self-heating substances and mixtures</b>                                      | Void |
| <b>Substances and mixtures, which emit flammable gases in contact with water</b> | Void |
| <b>Oxidising liquids</b>   | Void |
| <b>Oxidising solids</b>  | Void |
| <b>Organic peroxides</b>   | Void |
| <b>Corrosive to metals</b>   | Void |
| <b>Desensitised explosives</b>   | Void |

**SECTION 10: Stability and reactivity****10.1 Reactivity** see section 10.3**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.**10.6 Hazardous decomposition products:** No dangerous decomposition products known

— EUE —

(Contd. on page 7)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.11.2024

Version number 109.06 (replaces version 109.05)

Revision: 30.10.2024

Trade name GlossTec® Foam Special

(Contd. of page 6)

#### \* SECTION 11: Toxicological information

##### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity** Based on available data, the classification criteria are not met.

##### LD/LC50 values that are relevant for classification:

##### 78330-20-8 alcohols C10, ethoxylated

|      |      |                       |
|------|------|-----------------------|
| Oral | LD50 | >300-2000 mg/kg (rat) |
|------|------|-----------------------|

##### 1-Propanaminium, 3-Amino-N-(carboxymethyl)-N,N-dimethyl-, N-cocoacyl-derivate, Hydroxide, innere Salze

|      |      |                   |
|------|------|-------------------|
| Oral | LD50 | >2000 mg/kg (rat) |
|------|------|-------------------|

|        |      |                   |
|--------|------|-------------------|
| Dermal | LD50 | >2000 mg/kg (rat) |
|--------|------|-------------------|

##### 69011-36-5 Isotridecanol, ethoxylated

|      |      |                       |
|------|------|-----------------------|
| Oral | LD50 | >300-2000 mg/kg (rat) |
|------|------|-----------------------|

|        |      |                   |
|--------|------|-------------------|
| Dermal | LD50 | >2000 mg/kg (rat) |
|--------|------|-------------------|

##### 2634-33-5 1,2-Benzisothiazol-3(2H)-one

|      |      |                 |
|------|------|-----------------|
| Oral | LD50 | 500 mg/kg (rat) |
|------|------|-----------------|

|  |  |                  |
|--|--|------------------|
|  |  | 1193 mg/kg (rat) |
|--|--|------------------|

|  |  |                    |
|--|--|--------------------|
|  |  | 1150 mg/kg (mouse) |
|--|--|--------------------|

|        |      |                  |
|--------|------|------------------|
| Dermal | LD50 | 4115 mg/kg (rat) |
|--------|------|------------------|

##### 2682-20-4 2-methyl-2H-isothiazol-3-one

|      |      |                     |
|------|------|---------------------|
| Oral | LD50 | 232-249 mg/kg (rat) |
|------|------|---------------------|

##### Primary irritant effect:

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

##### Serious eye damage/irritation

Causes serious eye damage.

##### Respiratory or skin sensitisation

May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

##### Additional toxicological information:

The product removes the natural lipid protection of the skin even in diluted solution. Prolonged or repeated contact may cause skin irritation and inflammation.

##### 11.2 Information on other hazards

##### Endocrine disrupting properties

None of the ingredients is listed.

EUE

(Contd. on page 8)



## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.11.2024

Version number 109.06 (replaces version 109.05)

Revision: 30.10.2024

Trade name GlossTec® Foam Special

(Contd. of page 7)

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity:

#### 1-Propanaminium, 3-Amino-N-(carboxymethyl)-N,N-dimethyl-, N-cocoacyl-derivate, Hydroxide, innere Salze

LC 50 / 96 h 1-10 mg/l (fish)

EC 50 / 48 h 1-10 mg/l (Daphnia)

#### 69011-36-5 Isotridecanol, ethoxylated

LC 50 / 96 h 1-10 mg/l (Cyprinus carpio)

EC 50 / 48 h 1-10 mg/l (Daphnia magna)

EC 50 / 72 h 1-10 mg/l (Scenedesmus subspicatus)

#### 2634-33-5 1,2-Benzisothiazol-3(2H)-one

LC 50 / 96 h 1,6-2,18 mg/l (Oncorhynchus mykiss) (OECD 203)

EC 50 / 48 h 2,94-3,27 mg/l (Daphnia magna) (OECD 202)

EC 50 / 72 h 0,11 mg/l (Selenastrum capricornutum) (OECD 201)

0,11 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

EC 50 0,1-1 mg/l (Algae)

NOEC 0,21 mg/l (Oncorhynchus mykiss) (OECD 215)

1,2 mg/l (Daphnia magna) (21 d, OECD 211)

EC 10 0,04 mg/l (Selenastrum capricornutum) (72 h, OECD 201)

#### 2682-20-4 2-methyl-2H-isothiazol-3-one

LC 50 / 96 h 4,77 mg/l (Oncorhynchus mykiss)

EC 50 / 48 h 0,93 mg/l (Daphnia magna)

EC 50 / 3 h 34,6 mg/l (activated sludge (method OECD 209)) (DIN 38412-3 (TTC-Test))

### 12.2 Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained surfactants are easily biodegradable

#### 1-Propanaminium, 3-Amino-N-(carboxymethyl)-N,N-dimethyl-, N-cocoacyl-derivate, Hydroxide, innere Salze

Biodegradability 91,6 % (OECD 301 B)

#### 69011-36-5 Isotridecanol, ethoxylated

Biodegradability &gt;70 % (OECD 301A)

&gt;70 % (OECD 301 B)

#### 2634-33-5 1,2-Benzisothiazol-3(2H)-one

DOC - Elimination ~90 % (mod. Zahn - Wellens Test (OECD 302 B)) (OECD 302 B)

80 % (OECD Confirmatory Test (OECD 303 A)) (OECD 303 A)

#### 2682-20-4 2-methyl-2H-isothiazol-3-one

Biodegradability 50 % /29d (bacteria) (OECD 301 B (CO2 Evolution - Modified Sturm Test))

### 12.3 Bioaccumulative potential No further relevant information available.

### 12.4 Mobility in soil No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 9)



## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.11.2024

Version number 109.06 (replaces version 109.05)

Revision: 30.10.2024

Trade name GlossTec® Foam Special

(Contd. of page 8)

vPvB: Not applicable.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects****Respiratory inhibition of communal activated sludge EC 20 (mg/l according to ISO 8192 B):****2634-33-5 1,2-Benzisothiazol-3(2H)-one**

EC 20 3,3 mg/l (activated sludge (method OECD 209)) (3 h, OECD 209)

EC 50 13 mg/l (activated sludge (method OECD 209)) (3 h, OECD 209)

**2682-20-4 2-methyl-2H-isothiazol-3-one**

EC 20 2,8 mg/l (activated sludge (method OECD 209)) (3 h, DIN 38412-3 (TTC-Test))

**Additional ecological information:****General notes:** Water hazard class 1 (Self-assessment): slightly hazardous for water.**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

The note below refers to the product left as it is and not to further processed products. When mixed with other products, other disposal routes may be required; if in doubt, consult the supplier of the product or the local authority.

**Recommendation** When used as intended, the product enters the waste water.**Waste disposal key number:**

Since 1 January 1999, the waste code numbers have not only been product-related but essentially application-related. The waste code number valid for the application can be taken from the European Waste Catalogue.

**Uncleaned packagings:****Recommendation:**

**Development:** After optimal emptying, immediately return to the supplier tightly closed and without cleaning. Make sure that no foreign matter gets into the packaging!

Other containers: Empty completely and clean for reconditioning or reprocessing.

**SECTION 14: Transport information****14.1 UN number or ID number**

ADR/RID, IMDG, IATA

Void

**14.2 UN proper shipping name**

ADR/RID, IMDG, IATA

Void

**14.3 Transport hazard class(es)**

ADR/RID, IMDG, IATA

Class

Void

**14.4 Packing group**

ADR/RID, IMDG, IATA

Void

**14.6 Special precautions for user**

Not applicable.

**14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**Transport/Additional information:**

Not dangerous according to the above specifications.

(Contd. on page 10)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.11.2024

Version number 109.06 (replaces version 109.05)

Revision: 30.10.2024

Trade name GlossTec® Foam Special

(Contd. of page 9)

UN "Model Regulation":

Void

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS05 GHS07

Signal word Danger

#### Hazard-determining components of labelling:

alcohols C10, ethoxylated

2-methyl-2H-isothiazol-3-one

1-Propanaminium, 3-Amino-N-(carboxymethyl)-N,N-dimethyl-, N-cocoacylderivate, Hydroxide, innere Salze

1,2-Benzisothiazol-3(2H)-one

#### Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

#### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

#### LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

#### REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

#### DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### REGULATION (EU) 2019/1148

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 11)

— EUE —

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.11.2024

Version number 109.06 (replaces version 109.05)

Revision: 30.10.2024

**Trade name GlossTec® Foam Special**

(Contd. of page 10)

#### **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

#### **National regulations**

##### **Information about limitation of use:**

Employment restrictions concerning young persons must be observed.

#### **Other regulations, limitations and prohibitive regulations**

#### **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This safety data sheet complies with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Application:** Please refer to the technical data sheet for application instructions.

#### **UFI market placements:**

Germany, Bulgaria, Denmark, DKE, ESE, European Union, Finland, SFS, France, Greece, Ireland, ISE, Croatia, Latvia, FL, Lithuania, LTE, Malta, Netherland, Norway, Germany, Poland, Portugal, Romania, Sweden, Slovakia, Slovenia, Spain, Czechia, Cyprus, Italy

#### **Relevant phrases**

Complete wording of hazard statements and risk phrases (H-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

**Department issuing data specification sheet:** See section 1.3: Responding area

**Date of previous version:** 23.10.2024

**Version number of previous version:** 109.05

#### **Abbreviations and acronyms:**

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 12)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.11.2024

Version number 109.06 (replaces version 109.05)

Revision: 30.10.2024

---

**Trade name GlossTec® Foam Special**

---

(Contd. of page 11)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

ISO: International Organisation for Standardisation

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the previous version altered.**

---

EUE

---