

Printing date 18.07.2024 Version: 8.02 (replaces version 8.01) Revision: 18.07.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: SONAX XTREME Clear View 1:100

**Article number:** 01793980, 02711410 **UFI:** 21G0-R0JU-600U-K4JJ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product Detergents

Consumer uses: Private households / general public / consumers

Professional uses

Uses advised against There is currently no information available on this.

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

**United Kingdom:** 

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

# SECTION 2: Hazards identification

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

## 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



GHS07

### Signal word Warning

### Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

(Contd. on page 2)



Printing date 18.07.2024 Version: 8.02 (replaces version 8.01) Revision: 18.07.2024

Trade name: SONAX XTREME Clear View 1:100

(Contd. of page 1)

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

## Labelling of packages where the contents do not exceed 125 ml

Marking container <125 ml deviates. Reduced labeling according article 29 and annex I, no. 1.5 GB CLP-regulation is used.

#### 2.3 Other hazards

## Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

#### vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

#### Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: Aqueous tenside solution.

	Aliphatic alcohol, ethoxylated, sulfated, sodium salt  Skin Irrit. 2, H315; Eye Irrit. 2, H319	20-<25%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-xxxx	1-Methoxy-2-propanol ♦ Flam. Lig. 3, H226; ♦ STOT SE 3, H336	5-<15%
EINECS: 223-296-5 Reg.nr.: 01-2119493385-28-xxxx	pyridine-2-thiol 1-oxide, sodium salt  Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 1, H372; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH070	<0.1%

Regulation (EC) No 648/2004 on detergents / Labelling for contents	48/2004 on detergents / Labelling for contents	
anionic surfactants	≥15 - <30%	
phenoxyethanol, perfumes (TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES, COUMARIN, HEXYL CINNAMAL, LIMONENE, LINALYL ACETATE), sodium pyrithione		

Additional information: For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.

After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation Skin irritation

(Contd. on page 3)



Printing date 18.07.2024 Version: 8.02 (replaces version 8.01) Revision: 18.07.2024

Trade name: SONAX XTREME Clear View 1:100

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

# SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# SECTION 7: Handling and storage

**7.1 Precautions for safe handling** No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from foodstuffs.

Observe local/state/federal regulations.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 107-98-2 1-Methoxy-2-propanol

WEL (Great Britain) Short-term value: 560 mg/m³, 150 ppm

Long-term value: 375 mg/m³, 100 ppm

Sk

IOELV (EU) Short-term value: 568 mg/m³, 150 ppm

Long-term value: 375 mg/m³, 100 ppm

Skin

(Contd. on page 4)



Printing date 18.07.2024 Version: 8.02 (replaces version 8.01) Revision: 18.07.2024

Trade name: SONAX XTREME Clear View 1:100

OEL (Ireland)
Short-term value: 568 mg/m³, 150 ppm
Long-term value: 375 mg/m³, 100 ppm
IOELV
(Contd. of page 3)

Regulatory information

WEL (Great Britain): EH40/2020 IOELV (EU): (EU) 2019/1831

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

DNELs	DNELs	
CAS: 107-	·98-2 1-	-Methoxy-2-propanol
Oral	DNEL	3.3 mg/kg (consumer) (long-term / systemic effects)
Dermal	DNEL	18.1 mg/kg (consumer) (long-term / systemic effects)
		50.6 mg/kg (worker) (long-term / systemic effects)
Inhalative	DNEL	43.9 mg/m³ (consumer) (long-term / systemic effects)
		553.5 mg/m³ (worker) (short-term / local effects)
	DNEL	369 mg/m³ (worker) (long-term / systemic effects)

#### **PNECs**

#### CAS: 107-98-2 1-Methoxy-2-propanol

PNEC 100 mg/l (STP)

100 mg/l (water (intermittent release))

10 mg/l (water (fresh water))
1 mg/l (water (sea water))

PNEC 2.47 mg/kg (gro)

41.6 mg/kg (sediment (fresh water))

4.17 mg/kg (sediment (sea water))

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

# Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

## Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

#### Hand protection

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

### Material of gloves Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

[EN 374]

### Penetration time of glove material

Value for the permeation: Level 5 (240 - <480min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

## Eye/face protection

Safety glasses

[EN 166]

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid

(Contd. on page 5)



Printing date 18.07.2024 Version: 8.02 (replaces version 8.01) Revision: 18.07.2024

Trade name: SONAX XTREME Clear View 1:100

(Contd. of page 4)

Colour: Blue Odour: Ocean-like, fresh Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

≥100 °C **Flammability** Not applicable.

Lower and upper explosion limit

Lower: Not applicable Upper: Not applicable Flash point: Not applicable. Decomposition temperature: Not determined. pH at 20 °C 10.0 - 11.0 Viscosity:

<20.5 mm<sup>2</sup>/s Kinematic viscosity at 40 °C

Solubility

water: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not determined. Density and/or relative density

1.04 - 1.05 g/cm<sup>3</sup> Density at 20 °C: Vapour density Not determined.

9.2 Other information

Appearance:

Fluid Form:

Important information on protection of health and

environment, and on safety.

Ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition

Evaporation rate Not determined.

Information with regard to physical hazard classes **Explosives** Void Flammable gases Void Aerosols Void

Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void

Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void

Substances and mixtures, which emit flammable

gases in contact with water Void **Oxidising liquids** Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void Desensitised explosives Void

## SECTION 10: Stability and reactivity

10.1 Reactivity No dangerous reactions known.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

(Contd. on page 6)



Printing date 18.07.2024 Version: 8.02 (replaces version 8.01) Revision: 18.07.2024

Trade name: SONAX XTREME Clear View 1:100

(Contd. of page 5)

10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

ſ	LD/LC50	values rel	evant for classification:
Γ	CAS: 107-	-98-2 1-Me	ethoxy-2-propanol
f	Oral	LD50	4,016 mg/kg (rat)
	Dermal	LD50	>2,000 mg/kg (rat)
	Inhalative	LC0 / 6h	>7,000 ppm (rat)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

**Endocrine disrupting properties** 

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

None of the ingredients is listed.

## SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxicity:	
CAS: 107-98-	2 1-Methoxy-2-propanol
LC50 / 96h	>6,800 mg/l (Leuciscus idus) (DIN38412)
LC50 / 48h	23,300 mg/l (Daphnia magna)
EC50	>1,000 mg/l (Pseudokirchneriella subcapitata) (7d)
EC50/3h	>1,000 mg/l (activated sludge) (OECD 209)
CAS: 3811-73	R-2 pyridine-2-thiol 1-oxide, sodium salt
LC50 / 96h	0.00767 mg/l (Zebrabärbling)
EC 20 / 3h	0.48 mg/l (KS) (OECD 209)
EC50/3h	1.81 mg/l (KS) (OECD 209)
EC50 / 48h	0.022 mg/l (daphnia)
EC50 / 72h	0.46 mg/l (Selenastrum capricornutum)
NOEC / 72 h	0.08 mg/l (Selenastrum capricornutum) (OECD 201)

## 12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation ( EC/648/2004 ) for ultimate biodegradability for surfactants in detergents.

Aliphatic alcoh	ol, ethoxylated, sulfated,sodium salt
Biodegradation	>60 % (OECD 301B)
CAS: 107-98-2	1-Methoxy-2-propanol
Biodegradation	90-100 % (OEECD 301E)

(Contd. on page 7)



Printing date 18.07.2024 Version: 8.02 (replaces version 8.01) Revision: 18.07.2024

Trade name: SONAX XTREME Clear View 1:100

CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt

Biodegradation >70 % (activated sludge) (OECD 301 B)

12.3 Bioaccumulative potential

CAS: 107-98-2 1-Methoxy-2-propanol
log Kow 0.37 (25°C)

CAS: 3811-73-2 pyridine-2-thiol 1-oxide, sodium salt
log Kow <-1.09 ((n-Octanol/Wasser) OECD 107)

12.4 Mobility in soil No further relevant information available.

## 12.5 Results of PBT and vPvB assessment

#### DRT

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

#### vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

#### 12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

#### 12.7 Other adverse effects

Additional ecological information:

#### General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste classified as hazardous according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

## European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

	20 01 29*	detergents containing hazardous substances
Ī	15 01 10*	packaging containing residues of or contaminated by hazardous substances
Ī	HP4	Irritant - skin irritation and eye damage

## Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	

(Contd. on page 8)



Revision: 18.07.2024 Printing date 18.07.2024 Version: 8.02 (replaces version 8.01)

Trade name: SONAX XTREME Clear View 1:100

(Contd. of page 7)

14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

UN "Model Regulation": Void

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) 10.14 %

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### National regulations:

#### Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

### Relevant phrases

- H226 Flammable liquid and vapour.
- Harmful if swallowed. H302
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- Toxic to aquatic life with long lasting effects.

EUH070 Toxic by eye contact.

#### Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Serious eye damage/irritation

Date of previous version: 22.05.2023 Version number of previous version: 8.01

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 9)



Printing date 18.07.2024 Version: 8.02 (replaces version 8.01) Revision: 18.07.2024

Trade name: SONAX XTREME Clear View 1:100

(Contd. of page 8)

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)
PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
IOELV = indicative occupational exposure limit values
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
\* Data compared to the previous version altered.