

Page: 1/8

## **SERENE OIL**

Version: 2.0

Release date: 27 September 2022 Revision date: 08-01-2024

#### 1. Identification of the substance / application and the company

1.1. Product identifier:

Trade name: Serene Oil

**Product number:** 73-4115.001.070, 97.9773.000.050, 55-57916, 55-57055

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product use: Hydraulic Seat Post Oil

**Restrictions on use:** No restrictions on use known.

1.3. Details of the supplier of the safety data sheet

Manufacturer: Maxima Racing Oils

9266 Abraham Way Santee, CA 92071

USA

**Emergency telephone number:** +1 619 449 5000 info@maximausa.com

1.4. Emergency telephone number

Emergency spill information: CHEMTREC +1 703 527 3887 (24 hours)

#### 2. Hazards identification

#### 2.1. Classification of the substance or mixture:

#### CLP (1272/2008) Classification:

The mixture is not classified as hazardous according to Regulation (EC) CLP (1272/2008).

#### 2.2. Label elements

Hazard statements	Precautionary phrases	
No hazard statements.	No precautionary phrases.	

### **EUH Statements**

EUH210 - Safety data sheet available on request.

#### 2.3. Other hazards: No other hazards.

The product does not contain any components with known endocrine disrupting properties.

#### Section 3. Composition/information on ingredients

#### 3.2. Mixture

<b>Chemical Name</b>	CAS#	EINECS#	REACH registration#	CLP Classification	% w/w
Petroleum	72623-87-1	276-738-4	01-2119474889-13-	Aspiration Toxicity 1 -	50-70
distillates <sup>L</sup>	. 2020 0	2.0.00	XXXX	(H304)	00.0
Synthetic base	68037-01-4	500-183-1	01-2119486452-34-	Aspiration Toxicity 1 -	10-30
oils	00037-01-4	300-103-1	xxxx	(H304)	10-30

Page: 1/8



Page: 2/8

## SERENE OIL

Version: 2.1

Release date: 27 September 2022 Revision date: 08-01-2024

<b>Chemical Name</b>	CAS#	EINECS#	REACH registration#	CLP Classification	% w/w
1-Decene, Dimer, Hydrogenated	68649-11-6	500-228-5	01-2119537268-33- xxxx	Acute Toxicity 4 - (H332) Aspiration Toxicity 1 - (H304)	10-20

Note L. The substance contains less than 3 % DMSO extract as measured by IP 346, and does not need to be classified as a carcinogen.

The exact percentage and composition are being withheld as a trade secret.

#### Section 4. First-aid measures

#### 4.1. Description of first-aid measures

**Eye:** Flush eyes with water for several minutes. Remove contact lenses, if present and easy to do so. If eye irritation persists, get medical attention.

**Skin:** Wash skin with soap and water. Remove clothing and shoes if contaminated. Launder clothing before re-use. If irritation or rash develops, get medical attention.

**Inhalation:** If inhaled remove to fresh air. If irritation or difficulty in breathing occurs, get medical attention.

**Ingestion:** If conscious, rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.

- **4.2. Most important symptoms and effects, both acute and delayed:** May cause mild eye irritation. Prolonged skin contact may cause irritation. The product contains small amounts of a sensitizer, may cause dermatitis in sensitive individuals. Inhalation of vapors or mists may cause respiratory irritation. Swallowing may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
- **4.3.** Indication of any immediate medical attention and special treatment needed: As a general rule, and in all cases of doubt or when symptoms persist, always seek medical attention. Never give anything by mouth to an unconscious person.

#### Section 5. Firefighting measures

- **5.1. Extinguishing media:** Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.
- 5.2. Special hazards arising from the substance or mixture

**Unusual fire and explosion hazards:** This material will burn although it is not easily ignited. **Combustion products:** Combustion will produce carbon oxides and unidentified organic compounds.

#### 5.3. Advice for firefighters:

**Special firefighting procedures:** Firefighters should wear full emergency equipment and an approved positive pressure self-contained breathing apparatus. Cool exposed intact containers with water.

#### Section 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures:

Wear appropriate protective equipment. Wash thoroughly after handling. See also "Personal protection" section 8.

Page: 3/8

## SERENE OIL

Version: 2.1

Release date: 27 September 2022 Revision date: 08-01-2024

#### **6.2. Environmental precautions:**

Avoid release into the environment. Report spill as required by local and national regulations.

#### 6.3. Methods and material for containment and cleaning up:

Dike spill and collect with an inert absorbent. Place into closable containers for disposal. Collected material is handled in accordance with section 13 "Disposal considerations".

#### 6.4. Reference to other sections:

Refer to Section 8 for personal protective equipment and Section 13 for disposal information.

#### Section 7. Handling and storage

- **7.1. Precautions for safe handling:** Avoid contact with eyes, skin and clothing. Avoid breathing vapors and mists. Wash thoroughly after handling. Remove oil-soaked clothing and launder before re-use.
- **7.2. Conditions for safe storage, including any incompatibilities:** Store in a cool area away from oxidizing agents. Protect containers from physical damage.
- **7.3. Specific end use(s):** Hydraulic Seat Post Oil Prolonged contact with the skin should be prevented due to the risk of skin dryness and cracking. If inhalation of high concentrations of vapors and mists cannot be prevented appropriate personal protective equipment should be used.

#### Section 8. Exposure controls/personal protection

**8.1. Control parameters:** Refer to country-specific legislation for specific requirements where not listed below.

Chemical Name	Exposure limits
Petroleum distillates	No limit established.
Synthetic base oils	No limit established.
1-Decene, Dimer, Hydrogenated	5 mg/m3 AGW (DE TRGS 900) (DE)

#### 8.2. Exposure controls:

**Appropriate engineering controls:** Use with adequate local exhaust ventilation to minimize exposure. Use explosion proof equipment where required.

**Respiratory protection:** If the exposure is excessive or irritation is experienced, an approved particulate/organic vapor respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with local regulations and good industrial hygiene practice.

**Skin protection:** Wear impervious gloves in accordance with EN 374 to avoid skin contact. Protective clothing if needed to avoid skin contact and contamination of personal clothing. Suitable washing should be available in the work area. Contaminated clothing should be removed and laundered before re-use.

Eye protection: Wear chemical goggles in accordance with EN 166 to prevent eye contact.

**Other protective equipment:** No other protective equipment should be needed under normal use conditions. In Europe follow EN 13034.

Page: 3/8



Page: 4/8

## **SERENE OIL**

2.1 Version:

Release date: Revision date: 27 September 2022 08-01-2024

#### Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Colour Amber

Odour Petroleum odour

Melting point/freezing point -70°C (Synthetic Base Oils) Boiling point or initial boiling 220°C (Synthetic Base Oils)

point and boiling range

**Flammability** No data available Lower and upper explosion No data available

limit

Flash Point 160°C (Synthetic Base Oils)

615°F (324°C) (Synthetic Base Oils) Auto-ignition temperature

Decomposition temperature No data available No data available

pН

Kinematic viscosity 23.6 cSt @ 40°C (104°F)

Solubility Soluble in hydrocarbons; insoluble in water

Partition Coefficient: n-No data available

octanol/water (log value)

Vapour Pressure <0.01 mmHg @ 100°F

Density and/or relative

density 0.86 @ 15.6°C Relative vapour density No data available Particle characteristics No data available

**9.2. Other information:** No other information available.

#### Section 10. Stability and reactivity

**10.1. Reactivity:** Not expected to be reactive.

10.2. Chemical stability: Stable

**10.3. Possibility of hazardous reactions:** No possibility of hazardous reactions known.

**10.4. Conditions to avoid:** Avoid temperatures over 50°C, open flames and sparks.

**10.5. Incompatible materials:** Avoid contact with strong oxidizing agents.

10.6. Hazardous decomposition products: Thermal decomposition may produce carbon oxides and unidentified organic compounds.



Page: 5/8

## **SERENE OIL**

Version: 2.1

Release date: 27 September 2022 Revision date: 08-01-2024

#### Section 11. Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

#### Acute toxicity values:

ATE<sub>mix</sub>: 10.7 mg/L/4 hr (dust/mist)

Petroleum distillates (CAS 72623-87-1): The material is not considered an oral toxicant, a dermal toxicant,

and/or an inhalation toxicant.

Synthetic Base Oils: LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr (dust/mist); LD50

dermal rat - >2000 mg/kg

1-Decene, Dimer, Hydrogenated: LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - 1.17 mg/L/4 hr

(dust/mist); LD50 dermal rat - >2000 mg/kg

**Skin corrosion/irritation:** The product does not meet the criteria to be classified as a skin irritant.

Eye damage/irritation: The product does not meet the criteria to be classified as an eye irritant.

**Respiratory irritation:** The product does not contain any components that are respiratory irritants.

**Respiratory sensitization:** The product does not contain any components that are respiratory sensitizers.

**Skin sensitization:** The product contains small amounts of a skin sensitizer. May cause allergic dermatitis in sensitive individuals.

**Germ cell mutagenicity:** The product does not contain any components that are germ cell mutagens.

**Carcinogenicity:** None of the components of this product present at 0.1% or greater are listed as carcinogens by IARC, NTP or the EU CLP.

**Reproductive toxicity:** This product is not expected to cause reproductive or developmental effects.

#### Specific target organ toxicity:

Single exposure: No data available.

Repeated exposure: No data available.

**Aspiration hazard:** This product does not meet the criteria of an aspiration hazard as the kinematic viscosity exceeds 20.5 cSt @ 40°C.

Symptoms and delayed and immediate effects as well as chronic effects from short and long-term exposure:

**Eye contact:** May cause mild irritation.

**Skin contact:** Prolonged or repeated contact may cause mild irritation or dryness.

Repeated skin contact may cause non-allergic dermatitis. May cause

allergic dermatitis in sensitive individuals.

**Inhalation:** Excessive inhalation of vapors or mists may cause upper respiratory

tract irritation.

**Ingestion:** Swallowing large amounts may cause gastrointestinal effects including

nausea and diarrhea.



Page: 6/8

## **SERENE OIL**

Version: 2.1

Release date: 27 September 2022 Revision date: 08-01-2024

Chronic effects of overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals.

#### 11.2 Information on other hazards:

#### **Endocrine Disrupting Properties:**

The product does not contain any components with known endocrine disrupting properties at levels of 0.1% or higher.

#### Section 12. Ecological information

#### 12.1. Toxicity

Petroleum distillates (CAS 72623-87-1): This material is not expected to be harmful to aquatic organisms. Synthetic Base Oils: 96 hr LC50 *Salmo gairdneri* - >1000 mg/L; 48 hr EC50 *Daphnia magna* - 190 mg/L; 72 hr NOELr *Scenedesmus capricornutum* - 1000 mg/L

1-Decene, Dimer, Hydrogenated: 96 hr LL50 *Oncorhynchus mykiss* - >1000 mg/L; 48 hr EL50 *Daphnia magna* - >1000 mg/L; 72 hr EL50 *Scenedesmus capricornutum* - >1000 mg/L

#### 12.2. Persistence and degradability:

Petroleum distillates (CAS 72623-87-1) are not readily biodegradable.

Synthetic base oils are inherently biodegradable.

1-Decene, Dimer, Hydrogenated: Expected to be inherently biodegradable.

#### 12.3. Bioaccumulative Potential

Petroleum distillates (CAS 72623-87-1) have a log Kow of > 6 which suggests a potential for bioaccumulation.

Synthetic base oils and 1-Decene, Dimer, Hydrogenated are not expected to bioaccumulate.

#### 12.4. Mobility in soil:

The product is not water soluble (floats on water) and may be adsorbed to soil particles.

#### 12.5. Results of PBT and vPvB assessment:

Components are not vPvB or PBT.

#### 12.6 Endocrine Disrupting Properties:

The product does not contain any components with known endocrine disrupting properties at levels of 0.1% or higher.

#### 12.7. Other adverse effects:

No other adverse effects known.

#### Section 13. Disposal considerations

#### 13.1. Waste treatment methods:

Dispose in accordance with all local and national regulations.

#### **Section 14. Transport information**



Page: 7/8

### **SERENE OIL**

Version: 2.1

Release date: 27 September 2022 Revision date: 08-01-2024

	14.1. UN number	14.2. UN proper shipping name			14.5. Environmental hazards
EU ADR/RID	No UN	UN proper shipping name	No hazard	No packing	
	number.	not regulated.	class.	group.	
IMDG	No UN	UN proper shipping name	No hazard	No packing	
	number.	not regulated.	class.	group.	
IATA/ICAO	No UN	UN proper shipping name	No hazard	No packing	
	number.	not regulated.	class.	group.	

14.6. Special precautions for user: Not applicable.

**14.7 Maritime transport in bulk according to IMO instruments:** Not applicable - product is transported only in packaged form.

#### Section 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This SDS conforms to Regulation (EU) No 1907/2006 and 2020/878. Label in accordance with Regulation (EC) No 1272/2008 (CLP).

#### Regulation (EC) No 1907/2006, REACH Article 59(1), Candidate List:

None present or none present in regulated quantities.

## Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended:

None present or none present in regulated quantities.

# Regulation (EC) No 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use:

Substance	Applicable entry	Compliance with restrictions in Column 2	Applicable evidence
Petroleum distillates CAS No 72623-87-1	Entry 28	Fulfills the restriction	Fulfills Note L <sup>1</sup> (DMSO extract <3%)

For explanation of notes refer to section 16.

#### 15.2 Chemical Safety Assessment:

The supplier has not carried out a chemical safety assessment for the mixture.

#### Section 16. Other information

Supersedes version dated: 10 May 2023

Date updated: 1 August 2024

Revision summary:

11 February 2020: New document.

Page: 7/8



Page: 8/8

## **SERENE OIL**

Version: 2.1

Release date: 27 September 2022 Revision date: 08-01-2024

5 March 2020: Added SRAM part numbers.

10 May 2023: Revision due to formulation change, and compliance with Regulation (EU) 2020/878, sections: 2, 3, 5, 8, 9, 11, 12, 14 and 15.

1 August 2024: Updates Section 9 with more lab data.

#### CLP Classification for Reference (See Sections 2 and 3):

Asp Tox 1 - Aspiration Toxicity - Category 1
Acute Tox 4 - Acute Toxicity - Category 4
H304 - May be fatal if swallowed and enters airways.

H332 - Harmful if inhaled.

#### Notes in section 15

Note 1.

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ('Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method' Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make their own determination of the suitability of the material for their particular purpose.

Page: 8/8