

BEDIENUNGSANLEITUNG - OPERATING INSTRUCTIONS - NOTICE D'UTILISATION



999.2000

-  **WERKSTATTVENTILATOR, 70 W**
 **VENTILATEUR D'ATELIER, 70 W**
 **WORKSHOP FAN, 70 W**

DE/TTE/TJU/12-01-2026



Introduction

Dear customer!

We are very pleased that you decided to purchase this product from kstools. Thank you for your confidence in us. You can find all the information you need in these operating instructions. Please read the instructions completely with care and observe the advice given. The operating instruction is part of the item and should be kept intact.

If you have any uncertainties or further questions, please contact: customerservice@kstools.com

1. Provisions for use

The manufacturer is not liable for personal injuries and material damages which result from improper use.

2. Technical data

2.1 Electrical Requirements

Power:	70 Watt
Voltage range:	220–240 V – 50/60 Hz
Rotations:	Speed 1 – 4000 rpm Speed 2 – 4500 rpm Speed 3 – 5000 rpm
Sound pressure level:	Speed 1 – 48 dB Speed 2 – 51.5 dB Speed 3 – 57 dB

3. Safety and usage instructions

WARNING !

Tools may in principle only be used for the purpose intended, under the conditions envisaged and within the limitations as to their use.

To reduce the risk of fire or electric shock do not use with any solid-state controller.

In case of failure or damage, please refer to the local service center or distributor, and do not try to fix it by yourself.

CAUTION:

1. Do not plug the power cord into outlet until the unit has been completely assembled.
2. Use only with rated voltage.
3. During operation, don't put your fingers or any other objects inside the guard.

4. Operation

SPEED CONTROL:

To turn on the fan, simply press the speed control switch.



5. Maintenance

Incorrect or defective replacement parts can lead to damage.

1. Keep the unit in cool dry place.
2. To keep the fan clean, use a piece of soft cloth soaked with soap water to clean off the dust and stains, wipe dry to keep in a fresh appearance. Please don't attempt to use solvents like thinner or petrol to clean the fan.

6. Checks

All tools are to be checked for damage.

7. Disposal

The tool is to be disposed of or recycled in accordance with the legislation of the respective country.

8. Guarantee

The KS Tools Werkzeuge und Maschinen GmbH guarantee applies for all tools that are used under normal usage conditions.

The following are excluded from the guarantee:

- **Consumables** e.g. any type of cutting tools, cutting inserts and disks, cutting and scraping tools, brooms, brushes, files, batteries, bits or bit sockets, rotor blades in pneumatic devices, isolators on heating coils, any type of fuses, carbon brushes, etc.
- **Faulty functioning** of parts that show usage-related or other natural wear and tear, as well as tool defects that can be traced back to usage-related or other natural wear and tear.
- **Defects** in the tool that can be traced back to a failure to observe the operating instructions, improper use, use under abnormal environmental conditions or unsuitable operating conditions, overloading or improper maintenance. Also defects in tools caused by the use of accessory parts or other parts that are not KS Tools original parts.
- Tools which have been modified or equipped with additions.
- Minor deviations from the intended quality that are however insignificant for the value and suitability for use of the tool.

The guarantee period is 12 months in cases of industrial or equal use.

The guarantee period starts on the date of purchase by the commercial end customer. The date of the original purchase receipt is decisive. For technical products with limited guarantee types A, B and C, the user must principally submit the purchase receipt in addition to the serial number of the device, if present.

The guarantee applies under consideration of the guarantee type for the duration specified in the price list valid on the day the product was purchase.

If no guarantee claim exists for the product (expiration of the guarantee time, guarantee exclusion for the reasons listed in Sec. 2) but the repair is still possible, this will only be carried out following approval of the cost estimate by the user.